

FGD3 antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI14818**Specification**

FGD3 antibody - middle region - Product Information

Application	WB
Primary Accession	Q5JSP0-2
Other Accession	NM_033086 , NP_149077
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine
Predicted	Human, Mouse, Rat, Rabbit, Chicken, Horse, Bovine
Host	Rabbit
Clonality	Polyclonal
Calculated MW	70kDa KDa

FGD3 antibody - middle region - Additional Information

Alias Symbol **FLJ00004, MGC117260, ZFYVE5**

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-FGD3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


FGD3 antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

FGD3 antibody - middle region - Protein Information**FGD3 antibody - middle region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

FGD3 antibody - middle region - Images



WB Suggested Anti-FGD3 Antibody Titration: 1.0 µg/ml
Positive Control: Fetal Lung