

HAUS1 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14846**Specification**

HAUS1 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q76N32-2
Other Accession	NM_015147 , NP_055962
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted Host	Human, Rabbit, Pig, Bovine, Dog
Clonality	Rabbit
Calculated MW	Polyclonal 31kDa kDa

HAUS1 antibody - C-terminal region - Additional Information

Alias Symbol	CCDC5, FLJ21094, FLJ40084, HEI-C, HsT1461, HEIC
--------------	---

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-HAUS1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions


HAUS1 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

HAUS1 antibody - C-terminal region - Protein Information**HAUS1 antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

HAUS1 antibody - C-terminal region - Images



WB Suggested Anti-HAUS1 Antibody Titration: 1.0 µg/ml
Positive Control: Fetal Lung