

GPR19 antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI14898**Specification**

GPR19 antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q15760
Other Accession	NM_006143 , NP_006134
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog
Predicted Host	Human, Mouse, Rat, Rabbit, Horse, Bovine
Clonality	Rabbit
Calculated MW	Polyclonal 46kDa KDa

GPR19 antibody - C-terminal region - Additional Information**Gene ID** 2842**Other Names**

Probable G-protein coupled receptor 19, GPR-NGA, GPR19

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-GPR19 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

GPR19 antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

GPR19 antibody - C-terminal region - Protein Information**Name** GPR19**Function**

Orphan receptor.

Cellular Location

Cell membrane; Multi-pass membrane protein.

Tissue Location


Abundant expression in the brain.

GPR19 antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

GPR19 antibody - C-terminal region - Images



WB Suggested Anti-GPR19 Antibody Titration: 1.0 µg/ml
Positive Control: Fetal kidney

GPR19 antibody - C-terminal region - References

O'Dowd B.F., et al. FEBS Lett. 394:325-329(1996).
Bonner T.I., et al. Submitted (MAY-1996) to the EMBL/GenBank/DDBJ databases.
Scherer S.E., et al. Nature 440:346-351(2006).