

DSN1 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15267**Specification**

DSN1 Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q5JW55
Other Accession	NM_001145317 , NP_001138789
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	28kDa kDa

DSN1 Antibody - C-terminal region - Additional Information

Alias Symbol	C20orf172, FLJ13346, KNL3, MGC32987, MIS13, dJ469A13.2, hKNL-3
--------------	--

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-DSN1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.


Precautions

DSN1 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

DSN1 Antibody - C-terminal region - Protein Information**DSN1 Antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

DSN1 Antibody - C-terminal region - Images

WB Suggested Anti-DSN1 Antibody Titration: 1.0 µg/ml

Positive Control: MCF7 Whole Cell DSN1 is supported by BioGPS gene expression data to be expressed in MCF7