

MYCT1 Antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI15338**Specification**

MYCT1 Antibody - middle region - Product Information

Application	WB
Primary Accession	Q8N699
Other Accession	NM_025107 , NP_079383
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	26kDa kDa

MYCT1 Antibody - middle region - Additional Information**Gene ID** 80177

Alias Symbol **FLJ21269, MGC156309, MGC156310, MTLC**
Other Names
Myc target protein 1, Myc target in myeloid cells protein 1, MYCT1, MTLC, MTMC1

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-MYCT1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

MYCT1 Antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

MYCT1 Antibody - middle region - Protein Information**Name** MYCT1**Synonyms** MTLC, MTMC1**Function**

May regulate certain MYC target genes, MYC seems to be a direct upstream transcriptional activator. Does not seem to significantly affect growth cell capacity. Overexpression seems to mediate many of the known phenotypic features associated with MYC, including promotion of apoptosis, alteration of morphology, enhancement of anchorage-independent growth, tumorigenic conversion, promotion of genomic instability, and inhibition of hematopoietic differentiation (By

similarity).

Cellular Location

Nucleus. Note=Expressed in nuclei of hepatocellular carcinoma cell line BEL-7402 cells


Tissue Location

Down-regulated in gastric cancer tissues.

MYCT1 Antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

MYCT1 Antibody - middle region - Images

WB Suggested Anti-MYCT1 Antibody Titration: 1.0 µg/ml
Positive Control: ACHN Whole Cell

MYCT1 Antibody - middle region - References

Qiu G.-B., et al. Zhonghua Yi Xue Yi Chuan Xue Za Zhi 20:94-97(2003).
Ota T., et al. Nat. Genet. 36:40-45(2004).
Mungall A.J., et al. Nature 425:805-811(2003).
Mural R.J., et al. Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.
Bechtel S., et al. BMC Genomics 8:399-399(2007).