

CDV3 Antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15358**Specification**

CDV3 Antibody - N-terminal region - Product Information

Application	WB
Primary Accession	O9UKY7
Other Accession	NP_060018
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	28kDa KDa

CDV3 Antibody - N-terminal region - Additional Information**Gene ID** 55573

Alias Symbol	CDV3, H41,
Other Names	
Protein CDV3 homolog, CDV3, H41	

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 μ l of distilled water. Final Anti-CDV3 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.

Precautions

CDV3 Antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

CDV3 Antibody - N-terminal region - Protein Information**Name** CDV3**Synonyms** H41**Cellular Location**

Cytoplasm.

Tissue Location


Expression levels correlate with those of HER-2/neu in breast cancer cells.

CDV3 Antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CDV3 Antibody - N-terminal region - Images



Host: Rabbit
Target Name: CDV3
Sample Tissue: Placenta lysates
Antibody Dilution: 1.0µg/ml

CDV3 Antibody - N-terminal region - References

Oh J.J.,et al.Nucleic Acids Res. 27:4008-4017(1999).
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Muzny D.M.,et al.Nature 440:1194-1198(2006).
Brill L.M.,et al.Anal. Chem. 76:2763-2772(2004).
Dephoure N.,et al.Proc. Natl. Acad. Sci. U.S.A. 105:10762-10767(2008).