

OFCC1 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15403**Specification**

OFCC1 Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	Q8IZS5
Other Accession	NM_153003 , NP_694548
Reactivity	Human
Predicted	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	25kDa KDa

OFCC1 Antibody - C-terminal region - Additional Information

Alias Symbol **MGC142101, MGC142103, MRDS1**

Other Names

Orofacial cleft 1 candidate gene 1 protein, Orofacial clefting chromosomal breakpoint region candidate 1 protein, OFCC1, MRDS1

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-OFCC1 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

OFCC1 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

OFCC1 Antibody - C-terminal region - Protein Information

Name OFCC1

Synonyms MRDS1


OFCC1 Antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

OFCC1 Antibody - C-terminal region - Images



WB Suggested Anti-OFCC1 Antibody Titration: 1.0 µg/ml
Positive Control: RPMI-8226 Whole Cell

OFCC1 Antibody - C-terminal region - References

Matsumoto M., et al. Submitted (JUN-2002) to the EMBL/GenBank/DDBJ databases.
Mural R.J., et al. Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.
Davies S.J., et al. Cytogenet. Genome Res. 105:47-53(2004).
Weimann M., et al. Nat. Methods 10:339-342(2013).