

FAM117A Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15609**Specification**

FAM117A Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	O9C073
Other Accession	NM_030802 , NP_110429
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	50kDa KDa

FAM117A Antibody - C-terminal region - Additional Information**Gene ID** 81558**Other Names**

Protein FAM117A, C/EBP-induced protein, FAM117A

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-FAM117A antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

FAM117A Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.


FAM117A Antibody - C-terminal region - Protein Information**Name** FAM117A**FAM117A Antibody - C-terminal region - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)

- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

FAM117A Antibody - C-terminal region - Images



Host: Rabbit

Target Name: FAM117A

Sample Tissue: HepG2 Whole cell lysate

s

Antibody Dilution: 1.0µg/ml FAM117A is supported by BioGPS gene expression data to be expressed in HepG2

FAM117A Antibody - C-terminal region - References

Tian Q., et al. Submitted (JAN-1999) to the EMBL/GenBank/DDBJ databases.

Ota T., et al. Nat. Genet. 36:40-45(2004).

Zody M.C., et al. Nature 440:1045-1049(2006).

Mayya V., et al. Sci. Signal. 2:RA46-RA46(2009).

Rigbolt K.T., et al. Sci. Signal. 4:RS3-RS3(2011).