

MEX3A Antibody - N-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15713**Specification**

MEX3A Antibody - N-terminal region - Product Information

Application	WB
Primary Accession	A1L020
Other Accession	NM_001093725 , NP_001087194
Reactivity	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	54kDa KDa

MEX3A Antibody - N-terminal region - Additional Information**Gene ID** 92312

Alias Symbol	MEX-3A, RKHD4
--------------	----------------------

Other Names
RNA-binding protein MEX3A, RING finger and KH domain-containing protein 4, MEX3A, RKHD4

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 ul of distilled water. Final anti-MEX3A antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

Precautions

MEX3A Antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

MEX3A Antibody - N-terminal region - Protein Information**Name** MEX3A**Synonyms** RKHD4**Function**

RNA binding protein, may be involved in post-transcriptional regulatory mechanisms.

Cellular Location

Cytoplasm. Nucleus. Cytoplasm, P-body. Note=Predominantly expressed in the cytoplasm and shuttles between the cytoplasm and the nucleus through the CRM1 export pathway


Tissue Location

Highest levels found in fetal brain and testis. Detected also in thymus, salivary gland and uterus

MEX3A Antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

MEX3A Antibody - N-terminal region - Images

Host: Rabbit
Target Name: MEX3A
Sample Tissue: Fetal Brain lysates
Antibody Dilution: 1.0µg/ml

MEX3A Antibody - N-terminal region - References

Buchet-Poyau K., et al. Nucleic Acids Res. 35:1289-1300(2007).