

MYADML2 Antibody - C-terminal region
Rabbit Polyclonal Antibody
Catalog # AI15890**Specification**

MYADML2 Antibody - C-terminal region - Product Information

Application	WB
Primary Accession	A6NDP7
Other Accession	NM_001145113 , NP_001138585
Reactivity	Human, Mouse, Rat, Rabbit, Horse, Bovine, Guinea Pig, Dog
Predicted	Human, Mouse, Rat, Rabbit, Pig, Horse, Bovine, Guinea Pig, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	32kDa KDa

MYADML2 Antibody - C-terminal region - Additional Information**Gene ID** 255275**Other Names**

Myeloid-associated differentiation marker-like protein 2, MYADML2

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 µl of distilled water. Final Anti-MYADML2 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.

Precautions

MYADML2 Antibody - C-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

MYADML2 Antibody - C-terminal region - Protein Information**Name** MYADML2**Cellular Location**


Membrane; Multi-pass membrane protein

MYADML2 Antibody - C-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

MYADML2 Antibody - C-terminal region - Images



Host: Rabbit

Target Name: MYADML2

Sample Tissue: Hela Whole cell lysate

S

Antibody Dilution: 1.0µg/ml

MYADML2 Antibody - C-terminal region - References

Zody M.C., et al. Nature 440:1045-1049(2006).