

ZNF772 Antibody - middle region
Rabbit Polyclonal Antibody
Catalog # AI16004**Specification**

ZNF772 Antibody - middle region - Product Information

Application	WB
Primary Accession	Q68DY9
Reactivity	Human, Horse
Predicted	Human, Horse
Host	Rabbit
Clonality	Polyclonal
Calculated MW	53kDa KDa

ZNF772 Antibody - middle region - Additional Information**Gene ID** 400720**Other Names**

Zinc finger protein 772, ZNF772

Format

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

Reconstitution & Storage

Add 50 µl of distilled water. Final Anti-ZNF772 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at -20°C. Avoid repeat freeze-thaw cycles.

Precautions

ZNF772 Antibody - middle region is for research use only and not for use in diagnostic or therapeutic procedures.

ZNF772 Antibody - middle region - Protein Information**Name** ZNF772**Function**

May be involved in transcriptional regulation.

Cellular Location


Nucleus.

ZNF772 Antibody - middle region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ZNF772 Antibody - middle region - Images



Host: Rabbit
Target Name: ZNF772
Sample Tissue: HepG2 Whole cell lysate
Antibody Dilution: 1.0µg/ml

ZNF772 Antibody - middle region - Background

May be involved in transcriptional regulation.

ZNF772 Antibody - middle region - References

Ota T.,et al.Nat. Genet. 36:40-45(2004).
Bechtel S.,et al.BMC Genomics 8:399-399(2007).
Grimwood J.,et al.Nature 428:529-535(2004).