

**CREB5 antibody - N-terminal region**  
**Rabbit Polyclonal Antibody**  
**Catalog # AI16237****Specification**

---

**CREB5 antibody - N-terminal region - Product Information**

|                   |                                                                 |
|-------------------|-----------------------------------------------------------------|
| Application       | WB                                                              |
| Primary Accession | <a href="#">Q02930</a>                                          |
| Other Accession   | <a href="#">NM_182899</a> , <a href="#">NP_878902</a>           |
| Reactivity        | Human, Mouse, Rat, Rabbit, Pig, Horse, Guinea Pig, Dog          |
| Predicted         | Human, Mouse, Rat, Rabbit, Pig, Chicken, Horse, Guinea Pig, Dog |
| Host              | Rabbit                                                          |
| Clonality         | Polyclonal                                                      |
| Calculated MW     | 53kDa KDa                                                       |

**CREB5 antibody - N-terminal region - Additional Information****Gene ID** 9586**Alias Symbol** CRE-BPA**Other Names**

Cyclic AMP-responsive element-binding protein 5, CREB-5, cAMP-responsive element-binding protein 5, CRE-BPa, CREB5, CREBPA

**Format**

Liquid. Purified antibody supplied in 1x PBS buffer with 0.09% (w/v) sodium azide and 2% sucrose.

**Reconstitution & Storage**

Add 100 ul of distilled water. Final anti-CREB5 antibody concentration is 1 mg/ml in PBS buffer with 2% sucrose. For longer periods of storage, store at 20°C. Avoid repeat freeze-thaw cycles.

**Precautions**

CREB5 antibody - N-terminal region is for research use only and not for use in diagnostic or therapeutic procedures.

**CREB5 antibody - N-terminal region - Protein Information****Name** CREB5**Synonyms** CREBPA**Function**

Binds to the cAMP response element and activates transcription.

**Cellular Location**


Nucleus.

## CREB5 antibody - N-terminal region - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

## CREB5 antibody - N-terminal region - Images



WB Suggested Anti-CREB5 Antibody Titration: 1.25µg/ml  
Positive Control: HepG2 cell lysate