10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

GPR161 Antibody (N-Terminus)
Rabbit Polyclonal Antibody
Catalog # ALS10089

Specification

GPR161 Antibody (N-Terminus) - Product Information

Application	**IHC**
Primary Accession	Q8N6U8
Reactivity	**Human**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**59kDa KDa**

GPR161 Antibody (N-Terminus) - Additional Information

Gene ID 23432

Other Names
G-protein coupled receptor 161, G-protein coupled receptor RE2, GPR161

Target/Specificity
Human GPR161. BLAST analysis of the peptide immunogen showed no homology with other human proteins.

Reconstitution & Storage
Long term: -70°C; Short term: +4°C

Precautions
GPR161 Antibody (N-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

GPR161 Antibody (N-Terminus) - Protein Information

Name GPR161

Function
Key negative regulator of Shh signaling, which promotes the processing of GLI3 into GLI3R during neural tube development. Recruited by TULP3 and the IFT-A complex to primary cilia and acts as a regulator of the PKA-dependent basal repression machinery in Shh signaling by increasing cAMP levels, leading to promote the PKA-dependent processing of GLI3 into GLI3R and repress the Shh signaling. In presence of SHH, it is removed from primary cilia and is internalized into recycling endosomes, preventing its activity and allowing activation of the Shh signaling. Its ligand is unknown (By similarity).

Cellular Location
Cell projection, cilium membrane; Multi-pass membrane protein. Cell membrane; Multi-pass membrane protein. Note=Mainly localizes to primary cilium in a TULP3 and IFT-A complex-dependent manner. In presence of SHH, it is removed from primary cilia and is

internalized into recycling endosomes and is apparently not degraded (By similarity).


Volume
50 µl

GPR161 Antibody (N-Terminus) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

GPR161 Antibody (N-Terminus) - Images



Anti-GPR161 antibody IHC of human Lung, Adenocarcinoma.



Anti-GPR161 antibody ALS10089 IHC of human brain, pituitary.

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

GPR161 Antibody (N-Terminus) - Background

Key negative regulator of Shh signaling, which promotes the processing of GLI3 into GLI3R during neural tube development. Recruited by TULP3 and the IFT-A complex to primary cilia and acts as a regulator of the PKA-dependent basal repression machinery in Shh signaling by increasing cAMP levels, leading to promote the PKA-dependent processing of GLI3 into GLI3R and repress the Shh signaling. In presence of SHH, it is removed from primary cilia and is internalized into recycling endosomes, preventing its activity and allowing activation of the Shh signaling. Its ligand is unknown (By similarity).

GPR161 Antibody (N-Terminus) - References

Warren C.N.,et al.Submitted (APR-2003) to the EMBL/GenBank/DDBJ databases.
Raming K.,et al.Recept. Channels 6:141-151(1998).
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Gregory S.G.,et al.Nature 441:315-321(2006).