

CED6 / GULP1 Antibody (C-Terminus)
Goat Polyclonal Antibody
Catalog # ALS12190**Specification**

CED6 / GULP1 Antibody (C-Terminus) - Product Information

Application	WB, IHC
Primary Accession	Q9UBP9
Reactivity	Human, Mouse, Rat, Rabbit, Hamster, Monkey, Pig, Chicken, Bovine, Dog
Host	Goat
Clonality	Polyclonal
Calculated MW	34kDa KDa

CED6 / GULP1 Antibody (C-Terminus) - Additional Information**Gene ID** 51454**Other Names**

PTB domain-containing engulfment adapter protein 1, Cell death protein 6 homolog, PTB domain adapter protein CED-6, Protein GULP, GULP1, CED6, GULP

Target/Specificity

Human GULP1 / CED6.

Reconstitution & Storage

Store at -20°C. Minimize freezing and thawing.

Precautions

CED6 / GULP1 Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

CED6 / GULP1 Antibody (C-Terminus) - Protein Information**Name** GULP1**Synonyms** CED6, GULP**Function**

May function as an adapter protein. Required for efficient phagocytosis of apoptotic cells. Modulates cellular glycosphingolipid and cholesterol transport. May play a role in the internalization and endosomal trafficking of various LRP1 ligands, such as PSAP. Increases cellular levels of GTP-bound ARF6.

Cellular Location

Cytoplasm. Note=May associate with the cytoplasmic side of the plasma membrane and early endosomes


Tissue Location

Widely expressed. Detected in macrophages, pancreas, kidney, skeletal muscle, heart, colon, intestine, lung, placenta and ovary.


CED6 / GULP1 Antibody (C-Terminus) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

CED6 / GULP1 Antibody (C-Terminus) - Images

Antibody staining (0.2 ug/ml) of Human Placenta lysate (RIPA buffer, 30 ug total protein per lane).



Anti-GULP1 / CED6 antibody IHC of human kidney.

CED6 / GULP1 Antibody (C-Terminus) - Background

May function as an adapter protein. Required for efficient phagocytosis of apoptotic cells. Modulates cellular glycosphingolipid and cholesterol transport. May play a role in the internalization and endosomal trafficking of various LRP1 ligands, such as PSAP. Increases cellular levels of

GTP-bound ARF6.

CED6 / GULP1 Antibody (C-Terminus) - References

Liu Q.A.,et al.Curr. Biol. 9:1347-1350(1999).

Smits E.,et al.Curr. Biol. 9:1351-1354(1999).

Ota T.,et al.Nat. Genet. 36:40-45(2004).

Hillier L.W.,et al.Nature 434:724-731(2005).

Mural R.J.,et al.Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.