

TNFSF15 / TL1A / VEGI Antibody (N-Terminus)
Rabbit Polyclonal Antibody
Catalog # ALS12254**Specification**

TNFSF15 / TL1A / VEGI Antibody (N-Terminus) - Product Information

Application	WB
Primary Accession	O95150
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Calculated MW	28kDa KDa

TNFSF15 / TL1A / VEGI Antibody (N-Terminus) - Additional Information**Gene ID** 9966**Other Names**

Tumor necrosis factor ligand superfamily member 15, TNF ligand-related molecule 1, Vascular endothelial cell growth inhibitor, Tumor necrosis factor ligand superfamily member 15, membrane form, Tumor necrosis factor ligand superfamily member 15, secreted form, TNFSF15, TL1, VEGI

Target/Specificity

Peptide corresponding to 14 amino acids near the N-terminus of human TL1A, specific to isoform 1 of O95150, also known as VEGI-251.

Reconstitution & Storage

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.

Precautions

TNFSF15 / TL1A / VEGI Antibody (N-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

TNFSF15 / TL1A / VEGI Antibody (N-Terminus) - Protein Information**Name** TNFSF15**Synonyms** TL1, VEGI**Function**

Receptor for TNFRSF25 and TNFRSF6B. Mediates activation of NF-kappa-B. Inhibits vascular endothelial growth and angiogenesis (in vitro). Promotes activation of caspases and apoptosis.

Cellular Location

Membrane; Single-pass type II membrane protein

Tissue Location

Specifically expressed in endothelial cells. Detected in monocytes, placenta, lung, liver, kidney,


skeletal muscle, pancreas, spleen, prostate, small intestine and colon

TNFSF15 / TL1A / VEGI Antibody (N-Terminus) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

TNFSF15 / TL1A / VEGI Antibody (N-Terminus) - Images



Western blot of TL1A in PC-3 cell lysates with TL1A antibody at (A) 0.5, (B) 1, and (C) 2 ug/ml.

TNFSF15 / TL1A / VEGI Antibody (N-Terminus) - Background

Receptor for TNFRSF25 and TNFRSF6B. Mediates activation of NF-kappa-B. Inhibits vascular endothelial growth and angiogenesis (in vitro). Promotes activation of caspases and apoptosis.

TNFSF15 / TL1A / VEGI Antibody (N-Terminus) - References

Zhai Y., et al. FASEB J. 13:181-189(1999).
Chew L.-J., et al. FASEB J. 16:742-744(2002).
Migone T.-S., et al. Immunity 16:479-492(2002).
Ota T., et al. Nat. Genet. 36:40-45(2004).
Humphray S.J., et al. Nature 429:369-374(2004).