

FAIM Antibody (Internal)
Goat Polyclonal Antibody
Catalog # ALS12270**Specification**

FAIM Antibody (Internal) - Product Information

Application	WB, IHC
Primary Accession	O9NVQ4
Reactivity	Human
Host	Goat
Clonality	Polyclonal
Calculated MW	20kDa KDa

FAIM Antibody (Internal) - Additional Information**Gene ID** 55179**Other Names**

Fas apoptotic inhibitory molecule 1, FAIM, FAIM1

Target/Specificity

Human FAIM / FAIM1. This antibody is expected to recognise all reported isoforms (NP_001028202.1; NP_001028203.1; NP_001028204.1; NP_060617.1).

Reconstitution & Storage

Store at -20°C. Minimize freezing and thawing.

Precautions

FAIM Antibody (Internal) is for research use only and not for use in diagnostic or therapeutic procedures.

FAIM Antibody (Internal) - Protein Information**Name** FAIM**Synonyms** FAIM1**Function**

Plays a role as an inducible effector molecule that mediates Fas resistance produced by surface Ig engagement in B cells.

Cellular Location

Cytoplasm.

FAIM Antibody (Internal) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

FAIM Antibody (Internal) - Images



Antibody (0.5 ug/ml) staining of Human Lymph Node lysate (35 ug protein in RIPA buffer).



Anti-FAIM / FAIM1 antibody IHC of human placenta.

FAIM Antibody (Internal) - Background

Plays a role as an inducible effector molecule that mediates Fas resistance produced by surface Ig engagement in B cells.

FAIM Antibody (Internal) - References

- Ota T., et al. Nat. Genet. 36:40-45(2004).
Ebert L., et al. Submitted (JUN-2004) to the EMBL/GenBank/DDBJ databases.
Muzny D.M., et al. Nature 440:1194-1198(2006).
Wistow G., et al. Mol. Vis. 8:196-204(2002).
Gauci S., et al. Anal. Chem. 81:4493-4501(2009).

