

PTBP1 Antibody (N-Terminus)

Goat Polyclonal Antibody Catalog # ALS12712

Specification

PTBP1 Antibody (N-Terminus) - Product Information

IHC Application **Primary Accession** P26599

Reactivity Human, Mouse, Rat, Hamster, Monkey, Pig,

> **Bovine** Goat

Host Clonality **Polyclonal** Calculated MW 57kDa KDa

PTBP1 Antibody (N-Terminus) - Additional Information

Gene ID 5725

Other Names

Polypyrimidine tract-binding protein 1, PTB, 57 kDa RNA-binding protein PPTB-1, Heterogeneous nuclear ribonucleoprotein I, hnRNP I, PTBP1, PTB

Target/Specificity

Human PTBP1. This antibody is expected to recognise all 4 reported isoforms (represented by NP 002810.1; NP 114367.1; NP 114368.1; NP 787041.1).

Reconstitution & Storage

Store at -20°C. Minimize freezing and thawing.

Precautions

PTBP1 Antibody (N-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

PTBP1 Antibody (N-Terminus) - Protein Information

Name PTBP1

Synonyms PTB

Function

Plays a role in pre-mRNA splicing and in the regulation of alternative splicing events. Activates exon skipping of its own pre- mRNA during muscle cell differentiation. Binds to the polypyrimidine tract of introns. May promote RNA looping when bound to two separate polypyrimidine tracts in the same pre-mRNA. May promote the binding of U2 snRNP to pre-mRNA. Cooperates with RAVER1 to modulate switching between mutually exclusive exons during maturation of the TPM1 premRNA. Represses the splicing of MAPT/Tau exon 10 (PubMed: 15009664). Binds to polypyrimidine-rich controlling element (PCE) of CFTR and promotes exon skipping of CFTR exon 9,



thereby antagonizing TIA1 and its role in exon inclusion of CFTR exon 9 (PubMed:14966131). Plays a role in the splicing of pyruvate kinase PKM by binding repressively to a polypyrimidine tract flanking PKM exon 9, inhibiting exon 9 inclusion and resulting in exon 10 inclusion and production of the PKM M2 isoform (PubMed:20010808). In case of infection by picornaviruses, binds to the viral internal ribosome entry site (IRES) and stimulates the IRES- mediated translation (PubMed:21518806).


Cellular Location Nucleus.

PTBP1 Antibody (N-Terminus) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

PTBP1 Antibody (N-Terminus) - Images



Anti-PTBP1 antibody IHC of human skin.

PTBP1 Antibody (N-Terminus) - Background

Plays a role in pre-mRNA splicing and in the regulation of alternative splicing events. Activates exon skipping of its own pre-mRNA during muscle cell differentiation. Binds to the polypyrimidine tract of introns. May promote RNA looping when bound to two separate polypyrimidine tracts in the same pre-mRNA. May promote the binding of U2 snRNP to pre-mRNA. Cooperates with RAVER1 to modulate switching between mutually exclusive exons during maturation of the TPM1 pre-mRNA. Represses the splicing of MAPT/Tau exon 10.

PTBP1 Antibody (N-Terminus) - References

Gil A., et al. Genes Dev. 5:1224-1236(1991).





Tel: 858.875.1900 Fax: 858.875.1999

Patton J.G., et al. Genes Dev. 5:1237-1251(1991). Ghetti A., et al. Nucleic Acids Res. 20:3671-3678(1992). Kalnine N., et al. Submitted (MAY-2003) to the EMBL/GenBank/DDBJ databases. Grimwood J., et al. Nature 428:529-535(2004).