

**SOCS3 Antibody (clone SO1)**  
**Mouse Monoclonal Antibody**  
**Catalog # ALS12760****Specification**

---

**SOCS3 Antibody (clone SO1) - Product Information**

Application	IHC
Primary Accession	<a href="#">O14543</a>
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Calculated MW	25kDa KDa

**SOCS3 Antibody (clone SO1) - Additional Information****Gene ID** 9021**Other Names**

Suppressor of cytokine signaling 3, SOCS-3, Cytokine-inducible SH2 protein 3, CIS-3, STAT-induced STAT inhibitor 3, SSI-3, SOCS3, CIS3, SSI3

**Target/Specificity**

Recognizes suppressor of cytokine signaling 3 (SOCS3), a 30kD member of the suppressor of cytokine signaling family (SOCS) which negatively regulate Janus Kinase (JAK) and signal transducer and activators of transcription (STAT) signaling pathways. S ...

**Reconstitution & Storage**

+4°C or -20°C, Avoid repeated freezing and thawing.

**Precautions**

SOCS3 Antibody (clone SO1) is for research use only and not for use in diagnostic or therapeutic procedures.

**SOCS3 Antibody (clone SO1) - Protein Information****Name** SOCS3 ([HGNC:19391](#))**Synonyms** CIS3, SSI3**Function**

SOCS family proteins form part of a classical negative feedback system that regulates cytokine signal transduction. SOCS3 is involved in negative regulation of cytokines that signal through the JAK/STAT pathway. Inhibits cytokine signal transduction by binding to tyrosine kinase receptors including IL6ST/gp130, LIF, erythropoietin, insulin, IL12, GCSF and leptin receptors. Binding to JAK2 inhibits its kinase activity and regulates IL6 signaling. Suppresses fetal liver erythropoiesis. Regulates onset and maintenance of allergic responses mediated by T-helper type 2 cells (By similarity). Probable substrate recognition component of a SCF-like ECS (Elongin BC-CUL2/5-SOCS-box protein) E3 ubiquitin-protein ligase complex which mediates the

ubiquitination and subsequent proteasomal degradation of target proteins (PubMed:<a href="http://www.uniprot.org/citations/15601820" target="\_blank">15601820</a>).

**Tissue Location**

Widely expressed with high expression in heart, placenta, skeletal muscle, peripheral blood leukocytes, fetal and adult lung, and fetal liver and kidney. Lower levels in thymus


**Volume**

250 µl

**SOCS3 Antibody (clone SO1) - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

**SOCS3 Antibody (clone SO1) - Images**

Anti-SOCS3 antibody IHC of human colon.

**SOCS3 Antibody (clone SO1) - Background**

SOCS family proteins form part of a classical negative feedback system that regulates cytokine signal transduction. SOCS3 is involved in negative regulation of cytokines that signal through the JAK/STAT pathway. Inhibits cytokine signal transduction by binding to tyrosine kinase receptors including gp130, LIF, erythropoietin, insulin, IL12, GCSF and leptin receptors. Binding to JAK2 inhibits its kinase activity. Suppresses fetal liver erythropoiesis. Regulates onset and maintenance of allergic responses mediated by T-helper type 2 cells. Regulates IL-6 signaling in vivo (By similarity). Probable substrate recognition component of a SCF-like ECS (Elongin BC-CUL2/5-SOCS-box protein) E3 ubiquitin-protein ligase complex which mediates the ubiquitination and subsequent proteasomal degradation of target proteins. Seems to recognize IL6ST (By similarity).

**SOCS3 Antibody (clone SO1) - References**

Minamoto S.,et al.Biochem. Biophys. Res. Commun. 237:79-83(1997).  
Masuhara M.,et al.Biochem. Biophys. Res. Commun. 239:439-446(1997).  
Dey B.R.,et al.Biochem. Biophys. Res. Commun. 278:38-43(2000).  
Sasaki A.,et al.Genes Cells 4:339-351(1999).  
Hoertner M.,et al.Eur. J. Biochem. 269:2516-2526(2002).