

ETS1 / ETS-1 Antibody (clone 8A8)
Mouse Monoclonal Antibody
Catalog # ALS13195**Specification**

ETS1 / ETS-1 Antibody (clone 8A8) - Product Information

Application	IF, IHC
Primary Accession	P14921
Reactivity	Human
Host	Mouse
Clonality	Monoclonal
Calculated MW	50kDa KDa

ETS1 / ETS-1 Antibody (clone 8A8) - Additional Information**Gene ID** 2113**Other Names**

Protein C-ets-1, p54, ETS1, EWSR2

Target/Specificity

Human ETS1

Reconstitution & Storage

Long term: -20°C; Short term: +4°C. Avoid repeat freeze-thaw cycles.

Precautions

ETS1 / ETS-1 Antibody (clone 8A8) is for research use only and not for use in diagnostic or therapeutic procedures.

ETS1 / ETS-1 Antibody (clone 8A8) - Protein Information**Name** ETS1**Synonyms** EWSR2**Function**

Transcription factor (PubMed: [10698492](http://www.uniprot.org/citations/10698492), PubMed: [11909962](http://www.uniprot.org/citations/11909962)). Directly controls the expression of cytokine and chemokine genes in a wide variety of different cellular contexts (PubMed: [20378371](http://www.uniprot.org/citations/20378371)). May control the differentiation, survival and proliferation of lymphoid cells (PubMed: [20378371](http://www.uniprot.org/citations/20378371)). May also regulate angiogenesis through regulation of expression of genes controlling endothelial cell migration and invasion (PubMed: [15247905](http://www.uniprot.org/citations/15247905), PubMed: [15592518](http://www.uniprot.org/citations/15592518)).

Cellular Location

Nucleus. Cytoplasm Note=Delocalizes from nucleus to cytoplasm when coexpressed with isoform Ets-1 p27.

Tissue Location

Highly expressed within lymphoid cells. Isoforms c- ETS-1A and Ets-1 p27 are both detected in all fetal tissues tested, but vary with tissue type in adult tissues. None is detected in brain or kidney.


Volume

50 µl


ETS1 / ETS-1 Antibody (clone 8A8) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ETS1 / ETS-1 Antibody (clone 8A8) - Images

Immunofluorescence of NIH/3T3 cells using anti-ETS1 monoclonal antibody (green).



Anti-ETS1 antibody IHC of human colon-adipose.

ETS1 / ETS-1 Antibody (clone 8A8) - Background

Transcription factor. Directly controls the expression of cytokine and chemokine genes in a wide variety of different cellular contexts. May control the differentiation, survival and proliferation of lymphoid cells. May also regulate angiogenesis through regulation of expression of genes controlling endothelial cell migration and invasion.

ETS1 / ETS-1 Antibody (clone 8A8) - References

- Reddy E.S.P.,et al.Oncogene Res. 3:239-246(1988).
Watson D.K.,et al.Proc. Natl. Acad. Sci. U.S.A. 85:7862-7866(1988).
Laitem C.,et al.Oncogene 28:2087-2099(2009).
Kalnine N.,et al.Submitted (MAY-2003) to the EMBL/GenBank/DDBJ databases.
Bechtel S.,et al.BMC Genomics 8:399-399(2007).