

VASP Antibody (Ser157)

Rabbit Polyclonal Antibody Catalog # ALS13267

Specification

VASP Antibody (Ser157) - Product Information

Application WB, IHC Primary Accession P50552

Reactivity Human, Mouse, Rat, Monkey, Horse, Dog

Host Rabbit
Clonality Polyclonal
Calculated MW 40kDa KDa

VASP Antibody (Ser157) - Additional Information

Gene ID 7408

Other Names

Vasodilator-stimulated phosphoprotein, VASP, VASP

Target/Specificity

endogenous levels of total VASP protein

Reconstitution & Storage

Aliquot and store at -20°C. Minimize freezing and thawing.

Precautions

VASP Antibody (Ser157) is for research use only and not for use in diagnostic or therapeutic procedures.

VASP Antibody (Ser157) - Protein Information

Name VASP

Function

Ena/VASP proteins are actin-associated proteins involved in a range of processes dependent on cytoskeleton remodeling and cell polarity such as axon guidance, lamellipodial and filopodial dynamics, platelet activation and cell migration. VASP promotes actin filament elongation. It protects the barbed end of growing actin filaments against capping and increases the rate of actin polymerization in the presence of capping protein. VASP stimulates actin filament elongation by promoting the transfer of profilin-bound actin monomers onto the barbed end of growing actin filaments. Plays a role in actin-based mobility of Listeria monocytogenes in host cells. Regulates actin dynamics in platelets and plays an important role in regulating platelet aggregation.

Cellular Location

Cytoplasm. Cytoplasm, cytoskeleton. Cell junction, focal adhesion. Cell junction, tight junction Cell projection, lamellipodium membrane. Cell projection, filopodium membrane. Note=Targeted to stress fibers and focal adhesions through interaction with a number of proteins including MRL



family members Localizes to the plasma membrane in protruding lamellipodia and filopodial tips. Stimulation by thrombin or PMA, also translocates VASP to focal adhesions. Localized along the sides of actin filaments throughout the peripheral cytoplasm under basal conditions. In preapoptotic cells, colocalizes with MEFV in large specks (pyroptosomes)

Tissue Location


Highly expressed in platelets.

VASP Antibody (Ser157) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

VASP Antibody (Ser157) - Images



Western blot of extract from NIH/3T3 cells untreated or treated with forskolin (40 uM, 30 min),...



Anti-VASP antibody IHC of human small intestine.



VASP Antibody (Ser157) - Background

Ena/VASP proteins are actin-associated proteins involved in a range of processes dependent on cytoskeleton remodeling and cell polarity such as axon guidance, lamellipodial and filopodial dynamics, platelet activation and cell migration. VASP promotes actin filament elongation. It protects the barbed end of growing actin filaments against capping and increases the rate of actin polymerization in the presence of capping protein. VASP stimulates actin filament elongation by promoting the transfer of profilin- bound actin monomers onto the barbed end of growing actin filaments. Plays a role in actin-based mobility of Listeria monocytogenes in host cells. Regulates actin dynamics in platelets and plays an important role in regulating platelet aggregation.

VASP Antibody (Ser157) - References

Haffner C., et al. EMBO J. 14:19-27(1995). Laurent V., et al.J. Cell Biol. 144:1245-1258(1999). Ota T., et al. Nat. Genet. 36:40-45(2004). Mural R.J., et al. Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases. Gevaert K., et al. Nat. Biotechnol. 21:566-569(2003).