

GPI Antibody (N-Terminus)
Goat Polyclonal Antibody
Catalog # ALS13392**Specification**

GPI Antibody (N-Terminus) - Product Information

Application	WB, IHC
Primary Accession	P06744
Reactivity	Human
Host	Goat
Clonality	Polyclonal
Calculated MW	63kDa KDa

GPI Antibody (N-Terminus) - Additional Information**Gene ID** 2821**Other Names**

Glucose-6-phosphate isomerase, GPI, 5.3.1.9, Autocrine motility factor, AMF, Neuroleukin, NLK, Phosphoglucose isomerase, PGI, Phosphohexose isomerase, PHI, Sperm antigen 36, SA-36, GPI

Target/Specificity

Human GPI.

Reconstitution & Storage

Store at -20°C. Minimize freezing and thawing.

Precautions

GPI Antibody (N-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

GPI Antibody (N-Terminus) - Protein Information**Name** GPI {ECO:0000303|PubMed:2387591, ECO:0000312|HGNC:HGNC:4458}**Function**

In the cytoplasm, catalyzes the conversion of glucose-6-phosphate to fructose-6-phosphate, the second step in glycolysis, and the reverse reaction during gluconeogenesis (PubMed:28803808). Besides its role as a glycolytic enzyme, also acts as a secreted cytokine: acts as an angiogenic factor (AMF) that stimulates endothelial cell motility (PubMed:11437381). Acts as a neurotrophic factor, neuroleukin, for spinal and sensory neurons (PubMed:3352745, PubMed:11004567). It is secreted by lectin-stimulated T-cells and induces immunoglobulin secretion (PubMed:3352745, PubMed:11004567).

Cellular Location
Cytoplasm. Secreted

GPI Antibody (N-Terminus) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

GPI Antibody (N-Terminus) - Images



GPI antibody (0.01 ug/ml) staining of Human Heart lysate (35 ug protein in RIPA buffer).



Anti-GPI antibody IHC of human testis.

GPI Antibody (N-Terminus) - Background

Besides its role as a glycolytic enzyme, mammalian GPI can function as a tumor-secreted cytokine and an angiogenic factor (AMF) that stimulates endothelial cell motility. GPI is also a neurotrophic factor (Neuroleukin) for spinal and sensory neurons.

GPI Antibody (N-Terminus) - References

Gurney M.E.,et al.Submitted (MAR-1987) to the EMBL/GenBank/DDBJ databases.
Yakirevich E.,et al.Biol. Reprod. 62:1016-1023(2000).
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Grimwood J.,et al.Nature 428:529-535(2004).
Walker J.I.H.,et al.Genomics 7:638-643(1990).