10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

CCDC134 Antibody (N-Terminus)
Rabbit Polyclonal Antibody
Catalog # ALS13532

Specification

CCDC134 Antibody (N-Terminus) - Product Information

Application	**IF**
Primary Accession	Q9H6E4
Reactivity	**Human, Mouse, Rat**
Host	**Rabbit**
Clonality	**Polyclonal**
Calculated MW	**27kDa KDa**

CCDC134 Antibody (N-Terminus) - Additional Information

Gene ID 79879

Other Names
Coiled-coil domain-containing protein 134, CCDC134

Target/Specificity
Human CCDC134

Reconstitution & Storage
Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.

Precautions
CCDC134 Antibody (N-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

CCDC134 Antibody (N-Terminus) - Protein Information

Name CCDC134

Function
In extracellular secreted form, promotes proliferation and activation of CD8(+) T cells, suggesting a cytokine-like function (PubMed:25125657). Enhances cytotoxic anti-tumor activity of CD8(+) T cells (PubMed:25125657). May inhibit ERK and JNK signaling activity (PubMed:18087676, PubMed:23070808). May suppress cell migration and invasion activity, via its effects on ERK and JNK signaling (PubMed:23070808). Has a critical role in the regulation of osteogenesis and bone development (PubMed:32181939).

Cellular Location

Nucleus. Cytoplasm. Secreted Endoplasmic reticulum. Note=Accumulates in the nucleus in response to UV irradiation (PubMed:22644376)


Tissue Location
Expressed in cervical gland, cervical squamous epithelium, endometrium, stomach, kidney distal convoluted tubule, spermatogenic cells in testis, mammary gland, liver and striated muscle (at protein level) (PubMed:18087676, PubMed:23070808). Also detected in placenta (PubMed:18087676). Highest expression in testis relative to other tissues (PubMed:18087676). Detected in T cells and dendritic cells; highly expressed in activated CD8(+) T cells, and also expressed at lower levels in CD4(+) T cells (PubMed:25125657)

CCDC134 Antibody (N-Terminus) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

CCDC134 Antibody (N-Terminus) - Images



Immunofluorescence of CDCC134 in human brain tissue with CDCC134 antibody at 20 ug/ml.

CCDC134 Antibody (N-Terminus) - References

Collins J.E.,et al.Genome Biol. 5:R84.1-R84.11(2004).
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Dunham I.,et al.Nature 402:489-495(1999).
Burkard T.R.,et al.BMC Syst. Biol. 5:17-17(2011).