

BMP15 Antibody (N-Terminus)
Rabbit Polyclonal Antibody
Catalog # ALS13583**Specification**

BMP15 Antibody (N-Terminus) - Product Information

Application	IHC
Primary Accession	O95972
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	45kDa KDa

BMP15 Antibody (N-Terminus) - Additional Information**Gene ID** 9210**Other Names**

Bone morphogenetic protein 15, BMP-15, Growth/differentiation factor 9B, GDF-9B, BMP15, GDF9B

Reconstitution & Storage

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.

Precautions

BMP15 Antibody (N-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

BMP15 Antibody (N-Terminus) - Protein Information**Name** BMP15**Synonyms** GDF9B**Function**

May be involved in follicular development. Oocyte-specific growth/differentiation factor that stimulates folliculogenesis and granulosa cell (GC) growth.

Cellular Location

Secreted.


BMP15 Antibody (N-Terminus) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- [Western Blot](#)
- [Blocking Peptides](#)

- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


BMP15 Antibody (N-Terminus) - Images



Anti-BMP15 antibody IHC of human small intestine.



Anti-BMP15 antibody IHC of human prostate.



Anti-BMP15 antibody IHC of human skin.

BMP15 Antibody (N-Terminus) - Background

May be involved in follicular development. Oocyte- specific growth/differentiation factor that stimulates folliculogenesis and granulosa cell (GC) growth.

BMP15 Antibody (N-Terminus) - References

Dube J.L.,et al.Mol. Endocrinol. 12:1809-1817(1998).
Aaltonen J.,et al.J. Clin. Endocrinol. Metab. 84:2744-2750(1999).
Ross M.T.,et al.Nature 434:325-337(2005).
Saito S.,et al.Protein Sci. 17:362-370(2008).
Crawford J.L.,et al.Mol. Cell. Endocrinol. 348:339-343(2012).