10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

MKNK1 / MNK1 Antibody (clone 2H8)

Mouse Monoclonal Antibody
Catalog # ALS14072

Specification

MKNK1 / MNK1 Antibody (clone 2H8) - Product Information

Application	**WB, IF**
Primary Accession	Q9BUB5
Reactivity	**Human**
Host	**Mouse**
Clonality	**Monoclonal**
Calculated MW	**51kDa KDa**

MKNK1 / MNK1 Antibody (clone 2H8) - Additional Information

Gene ID 8569

Other Names
MAP kinase-interacting serine/threonine-protein kinase 1, 2.7.11.1, MAP kinase signal-integrating kinase 1, MAPK signal-integrating kinase 1, Mnk1, MKNK1, MNK1

Target/Specificity
Human MNK1

Reconstitution & Storage
For long term, store at -20°C. Avoid repeat freeze-thaw cycles.

Precautions
MKNK1 / MNK1 Antibody (clone 2H8) is for research use only and not for use in diagnostic or therapeutic procedures.

MKNK1 / MNK1 Antibody (clone 2H8) - Protein Information

Name MKNK1

Synonyms MNK1

Function
May play a role in the response to environmental stress and cytokines. Appears to regulate translation by phosphorylating EIF4E, thus increasing the affinity of this protein for the 7-methylguanosine- containing mRNA cap.

Cellular Location
[Isoform 2]: Cytoplasm.

Tissue Location
Ubiquitous..


10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

MKNK1 / MNK1 Antibody (clone 2H8) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

MKNK1 / MNK1 Antibody (clone 2H8) - Images




MKNK1 monoclonal antibody, clone 2H8 Western blot of MKNK1 expression in HeLa.



Western blot of MKNK1 expression in transfected 293T cell line by MKNK1 monoclonal antibody,...

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999



Immunofluorescence of monoclonal antibody to MKNK1 on HeLa cell. [antibody concentration 10 ug/ml]

MKNK1 / MNK1 Antibody (clone 2H8) - Background

May play a role in the response to environmental stress and cytokines. Appears to regulate translation by phosphorylating EIF4E, thus increasing the affinity of this protein for the 7-methylguanosine-containing mRNA cap.

MKNK1 / MNK1 Antibody (clone 2H8) - References

Fukunaga R.,et al.EMBO J. 16:1921-1933(1997).
Knauf U.,et al.Mol. Cell. Biol. 21:5500-5511(2001).
O'Loghlen A.,et al.Exp. Cell Res. 299:343-355(2004).
Gregory S.G.,et al.Nature 441:315-321(2006).
Mural R.J.,et al.Submitted (SEP-2005) to the EMBL/GenBank/DDBJ databases.