10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

TSPO / PBR Antibody (C-Terminus)

Goat Polyclonal Antibody
Catalog # ALS14234

Specification

TSPO / PBR Antibody (C-Terminus) - Product Information

Application	**WB, IHC**
Primary Accession	P30536
Reactivity	**Human, Mouse**
Host	**Goat**
Clonality	**Polyclonal**
Calculated MW	**19kDa KDa**

TSPO / PBR Antibody (C-Terminus) - Additional Information

Gene ID 706

Other Names
Translocator protein, Mitochondrial benzodiazepine receptor, PKBS, Peripheral-type benzodiazepine receptor, PBR, TSPO, BZRP, MBR

Target/Specificity
Mouse TSPO.

Reconstitution & Storage
Store at -20°C. Minimize freezing and thawing.

Precautions
TSPO / PBR Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

TSPO / PBR Antibody (C-Terminus) - Protein Information

Name TSPO

Synonyms BZRP, MBR

Function
Can bind protoporphyrin IX and may play a role in the transport of porphyrins and heme (By similarity). Promotes the transport of cholesterol across mitochondrial membranes and may play a role in lipid metabolism (PubMed:24814875), but its precise physiological role is controversial. It is apparently not required for steroid hormone biosynthesis. Was initially identified as peripheral-type benzodiazepine receptor; can also bind isoquinoline carboxamides (PubMed:1847678).

Cellular Location
Mitochondrion membrane; Multi-pass membrane protein

Tissue Location
Found in many tissue types. Expressed at the highest levels under normal conditions in tissues that synthesize steroids.

Volume
50 µl

TSPO / PBR Antibody (C-Terminus) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

TSPO / PBR Antibody (C-Terminus) - Images




TSPO antibody (0.5 ug/ml) staining of Mouse Spleen lysate (35 ug protein/ml in RIPA buffer).



Anti-TSPO / PBR antibody IHC of human adipose.

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999



Anti-TSPO / PBR antibody IHC of human renal tubules.

TSPO / PBR Antibody (C-Terminus) - Background

Can bind protoporphyrin IX and may play a role in the transport of porphyrins and heme (By similarity). Promotes the transport of cholesterol across mitochondrial membranes and may play a role in lipid metabolism (PubMed:24814875), but its precise physiological role is controversial. It is apparently not required for steroid hormone biosynthesis. Was initially identified as peripheral-type benzodiazepine receptor; can also bind isoquinoline carboxamides(PubMed:1847678).

TSPO / PBR Antibody (C-Terminus) - References

Riond J.,et al.Eur. J. Biochem. 195:305-311(1991).
Yakovlev A.G.,et al.Gene 155:201-205(1995).
Costa B.,et al.Mol. Pharmacol. 69:37-44(2006).
Kalnine N.,et al.Submitted (MAY-2003) to the EMBL/GenBank/DDBJ databases.
Collins J.E.,et al.Genome Biol. 5:R84.1-R84.11(2004).