

HP / Haptoglobin Antibody

Goat Polyclonal Antibody Catalog # ALS14651

Specification

HP / Haptoglobin Antibody - Product Information

Application IHC
Primary Accession P00738
Reactivity Human
Host Goat
Clonality Polyclonal
Calculated MW 45kDa KDa

HP / Haptoglobin Antibody - Additional Information

Gene ID 3240

Other Names

Haptoglobin, Zonulin, Haptoglobin alpha chain, Haptoglobin beta chain, HP

Target/Specificity

Recognizes human haptoglobin.

Reconstitution & Storage

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles.

Precautions

HP / Haptoglobin Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

HP / Haptoglobin Antibody - Protein Information

Name HP

Function

As a result of hemolysis, hemoglobin is found to accumulate in the kidney and is secreted in the urine. Haptoglobin captures, and combines with free plasma hemoglobin to allow hepatic recycling of heme iron and to prevent kidney damage. Haptoglobin also acts as an antioxidant, has antibacterial activity, and plays a role in modulating many aspects of the acute phase response. Hemoglobin/haptoglobin complexes are rapidly cleared by the macrophage CD163 scavenger receptor expressed on the surface of liver Kupfer cells through an endocytic lysosomal degradation pathway.

Cellular Location

Secreted.

Tissue Location

Expressed by the liver and secreted in plasma.




HP / Haptoglobin Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

HP / Haptoglobin Antibody - Images



Anti-Haptoglobin antibody IHC of human liver.

HP / Haptoglobin Antibody - Background

As a result of hemolysis, hemoglobin is found to accumulate in the kidney and is secreted in the urine. Haptoglobin captures, and combines with free plasma hemoglobin to allow hepatic recycling of heme iron and to prevent kidney damage. Haptoglobin also acts as an Antimicrobial; Antioxidant, has antibacterial activity and plays a role in modulating many aspects of the acute phase response. Hemoglobin/haptoglobin complexes are rapidely cleared by the macrophage CD163 scavenger receptor expressed on the surface of liver Kupfer cells through an endocytic lysosomal degradation pathway.

HP / Haptoglobin Antibody - References

van der Straten A.,et al.EMBO J. 2:1003-1007(1983). Yang F.,et al.Proc. Natl. Acad. Sci. U.S.A. 80:5875-5879(1983). van der Straten A.,et al.FEBS Lett. 168:103-107(1984). Brune J.L.,et al.Nucleic Acids Res. 12:4531-4538(1984). Bensi G.,et al.EMBO J. 4:119-126(1985).