

Catalog # ALS14722

CALD1 / Caldesmon Antibody (aa744-793) Rabbit Polyclonal Antibody

## Specification

## CALD1 / Caldesmon Antibody (aa744-793) - Product Information

Application Primary Accession Reactivity Host Clonality Calculated MW IF, WB <u>Q05682</u> Human, Mouse, Rat Rabbit Polyclonal 93kDa KDa

#### CALD1 / Caldesmon Antibody (aa744-793) - Additional Information

Gene ID 800

Other Names Caldesmon, CDM, CALD1, CAD, CDM

**Target/Specificity** Caldesmon antibody detects endogenous levels of total Caldesmon protein.

**Reconstitution & Storage** Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles.

**Precautions** CALD1 / Caldesmon Antibody (aa744-793) is for research use only and not for use in diagnostic or therapeutic procedures.

### CALD1 / Caldesmon Antibody (aa744-793) - Protein Information

Name CALD1

Synonyms CAD, CDM

#### Function

Actin- and myosin-binding protein implicated in the regulation of actomyosin interactions in smooth muscle and nonmuscle cells (could act as a bridge between myosin and actin filaments). Stimulates actin binding of tropomyosin which increases the stabilization of actin filament structure. In muscle tissues, inhibits the actomyosin ATPase by binding to F-actin. This inhibition is attenuated by calcium-calmodulin and is potentiated by tropomyosin. Interacts with actin, myosin, two molecules of tropomyosin and with calmodulin. Also plays an essential role during cellular mitosis and receptor capping. Involved in Schwann cell migration during peripheral nerve regeneration (By similarity).

#### **Cellular Location**

Cytoplasm, cytoskeleton {ECO:0000250|UniProtKB:P13505}. Cytoplasm, myofibril



## {ECO:0000250|UniProtKB:P13505}. Cytoplasm, cytoskeleton, stress fiber {ECO:0000250|UniProtKB:P13505}. Note=On thin filaments in smooth muscle and on stress fibers in fibroblasts (nonmuscle) {ECO:0000250|UniProtKB:P13505}

#### **Tissue Location**

High-molecular-weight caldesmon (isoform 1) is predominantly expressed in smooth muscles, whereas low-molecular-weight caldesmon (isoforms 2, 3, 4 and 5) are widely distributed in non-muscle tissues and cells. Not expressed in skeletal muscle or heart


Volume 50 μl

## CALD1 / Caldesmon Antibody (aa744-793) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

### CALD1 / Caldesmon Antibody (aa744-793) - Images



Immunofluorescence of HeLa cells, using Caldesmon antibody.



Western blot of extracts from HeLa cells, treated with EGF 200 ng/ml 30', using Caldesmon antibody.

## CALD1 / Caldesmon Antibody (aa744-793) - Background

Actin- and myosin-binding protein implicated in the regulation of actomyosin interactions in smooth muscle and nonmuscle cells (could act as a bridge between myosin and actin filaments). Stimulates actin binding of tropomyosin which increases the stabilization of actin filament structure. In muscle tissues, inhibits the actomyosin ATPase by binding to F-actin. This inhibition is attenuated by calcium-calmodulin and is potentiated by tropomyosin. Interacts with actin, myosin, two molecules of tropomyosin and with calmodulin. Also play an essential role during cellular mitosis



and receptor capping. Involved in Schwann cell migration during peripheral nerve regeneration (By similarity).

# CALD1 / Caldesmon Antibody (aa744-793) - References

Novy R.E., et al.J. Biol. Chem. 266:16917-16924(1991). Humphrey M.B., et al.Gene 112:197-204(1992). Hayashi K., et al.Proc. Natl. Acad. Sci. U.S.A. 89:12122-12126(1992). Ota T., et al.Nat. Genet. 36:40-45(2004). Hillier L.W., et al.Nature 424:157-164(2003).