

ZMYM2 / RAMP Antibody (C-Terminus)
Rabbit Polyclonal Antibody
Catalog # ALS14754**Specification**

ZMYM2 / RAMP Antibody (C-Terminus) - Product Information

Application	ICC, IF, WB, IHC
Primary Accession	Q9UBW7
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Calculated MW	155kDa KDa

ZMYM2 / RAMP Antibody (C-Terminus) - Additional Information**Gene ID** 7750**Other Names**

Zinc finger MYM-type protein 2, Fused in myeloproliferative disorders protein, Rearranged in atypical myeloproliferative disorder protein, Zinc finger protein 198, ZMYM2, FIM, RAMP, ZNF198

Target/Specificity

Human ZMYM2. At least two isoforms of ZMYM1 are known to exist; this antibody will detect only the shorter isoform. ZMYM1 antibody is predicted to not cross-react with other ZMYM protein family members.

Reconstitution & Storage

Short term 4°C, long term aliquot and store at -20°C, avoid freeze thaw cycles. Store undiluted.

Precautions

ZMYM2 / RAMP Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

ZMYM2 / RAMP Antibody (C-Terminus) - Protein Information**Name** ZMYM2**Synonyms** FIM, RAMP, ZNF198**Function**

Involved in the negative regulation of transcription.

Cellular Location


Nucleus.

ZMYM2 / RAMP Antibody (C-Terminus) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


ZMYM2 / RAMP Antibody (C-Terminus) - Images




Immunocytochemistry of ZMYM2 in HeLa cells with ZMYM2 antibody at 10 ug/ml.



Immunofluorescence of ZMYM2 in HeLa cells with ZMYM2 antibody at 20 ug/ml.



Western blot analysis of ZMYM2 in EL4 cell lysate with ZMYM2 antibody at (A) 0.125 and (B) 0.25...



Anti-ZMYM2 antibody IHC of human brain, cortex.

ZMYM2 / RAMP Antibody (C-Terminus) - Background

May function as a transcription factor.

ZMYM2 / RAMP Antibody (C-Terminus) - References

- Popovici C.,et al.Proc. Natl. Acad. Sci. U.S.A. 95:5712-5717(1998).
- Reiter A.,et al.Blood 92:1735-1742(1998).
- Kulkarni S.,et al.Genomics 55:118-121(1999).
- Wiemann S.,et al.Genome Res. 11:422-435(2001).
- Bechtel S.,et al.BMC Genomics 8:399-399(2007).