

SNCG / Gamma-Synuclein Antibody

Rabbit Polyclonal Antibody Catalog # ALS15227

Specification

SNCG / Gamma-Synuclein Antibody - Product Information

Application WB, IHC
Primary Accession O76070
Reactivity Human
Host Rabbit
Clonality Polyclonal
Calculated MW 13kDa KDa

SNCG / Gamma-Synuclein Antibody - Additional Information

Gene ID 6623

Other Names

Gamma-synuclein, Breast cancer-specific gene 1 protein, Persyn, Synoretin, SR, SNCG, BCSG1, PERSYN, PRSN

Reconstitution & Storage

Long term: -20°C; Short term: -20°C

Precautions

SNCG / Gamma-Synuclein Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

SNCG / Gamma-Synuclein Antibody - Protein Information

Name SNCG

Synonyms BCSG1, PERSYN, PRSN

Function

Plays a role in neurofilament network integrity. May be involved in modulating axonal architecture during development and in the adult. In vitro, increases the susceptibility of neurofilament-H to calcium-dependent proteases (By similarity). May also function in modulating the keratin network in skin. Activates the MAPK and Elk-1 signal transduction pathway (By similarity).

Cellular Location

Cytoplasm, perinuclear region. Cytoplasm, cytoskeleton, microtubule organizing center, centrosome. Cytoplasm, cytoskeleton, spindle. Note=Associated with centrosomes in several interphase cells. In mitotic cells, localized to the poles of the spindle

Tissue Location

Highly expressed in brain, particularly in the substantia nigra. Also expressed in the corpus callosum, heart, skeletal muscle, ovary, testis, colon and spleen. Weak expression in pancreas,

kidney and lung


Volume 50 μl

SNCG / Gamma-Synuclein Antibody - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- <u>Immunofluorescence</u>
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

SNCG / Gamma-Synuclein Antibody - Images



0



Anti-Gamma-Synuclein / SNCG antibody IHC of human adrenal.



SNCG / Gamma-Synuclein Antibody - Background

Plays a role in neurofilament network integrity. May be involved in modulating axonal architecture during development and in the adult. In vitro, increases the susceptibility of neurofilament-H to calcium-dependent proteases (By similarity). May also function in modulating the keratin network in skin. Activates the MAPK and Elk-1 signal transduction pathway (By similarity).

SNCG / Gamma-Synuclein Antibody - References

Ji H.,et al.Cancer Res. 57:759-764(1997).
Ninkina N.N.,et al.Hum. Mol. Genet. 7:1417-1424(1998).
Lavedan C.,et al.Hum. Genet. 103:106-112(1998).
Han C.,et al.Submitted (AUG-2001) to the EMBL/GenBank/DDBJ databases.
Pronin A.N.,et al.J. Biol. Chem. 275:26515-26522(2000).