

CAV3 / Caveolin 3 Antibody (N-Terminus) Goat Polyclonal Antibody

Catalog # ALS15365

Specification

CAV3 / Caveolin 3 Antibody (N-Terminus) - Product Information

Application Primary Accession Reactivity Host Clonality Calculated MW WB, IHC <u>P56539</u> Human, Monkey, Horse, Bovine, Dog Goat Polyclonal 17kDa KDa

CAV3 / Caveolin 3 Antibody (N-Terminus) - Additional Information

Gene ID 859

Other Names Caveolin-3, M-caveolin, CAV3

Target/Specificity Human CAV3 / Caveolin 3. Reported variants represent identical protein (NP_001225.1; NP_203123.1).

Reconstitution & Storage Store at -20°C. Minimize freezing and thawing.

Precautions CAV3 / Caveolin 3 Antibody (N-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

CAV3 / Caveolin 3 Antibody (N-Terminus) - Protein Information

Name CAV3

Function

May act as a scaffolding protein within caveolar membranes. Interacts directly with G-protein alpha subunits and can functionally regulate their activity. May also regulate voltage-gated potassium channels. Plays a role in the sarcolemma repair mechanism of both skeletal muscle and cardiomyocytes that permits rapid resealing of membranes disrupted by mechanical stress (By similarity). Mediates the recruitment of CAVIN2 and CAVIN3 proteins to the caveolae (PubMed:19262564).

Cellular Location

Golgi apparatus membrane; Peripheral membrane protein. Cell membrane {ECO:000250|UniProtKB:P51638}; Peripheral membrane protein. Membrane, caveola {ECO:0000250|UniProtKB:P51637}; Peripheral membrane protein. Cell membrane, sarcolemma {ECO:0000250|UniProtKB:P51637}. Note=Potential hairpin-like structure in the membrane.



Membrane protein of caveolae (By similarity)

Tissue Location Expressed predominantly in muscle.

CAV3 / Caveolin 3 Antibody (N-Terminus) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- <u>Flow Cytomety</u>
- <u>Cell Culture</u>

CAV3 / Caveolin 3 Antibody (N-Terminus) - Images



CAV3 antibody (0.3 ug/ml) staining of Human Heart lysate (35 ug protein/ml in RIPA buffer).



Anti-Caveolin 3 antibody IHC of human skeletal muscle.

CAV3 / Caveolin 3 Antibody (N-Terminus) - Background

May act as a scaffolding protein within caveolar membranes. Interacts directly with G-protein



alpha subunits and can functionally regulate their activity. May also regulate voltage-gated potassium channels. Plays a role in the sarcolemma repair mechanism of both skeletal muscle and cardiomyocytes that permits rapid resealing of membranes disrupted by mechanical stress.

CAV3 / Caveolin 3 Antibody (N-Terminus) - References

Minetti C., et al.Nat. Genet. 18:365-368(1998). Biederer C., et al.Biochim. Biophys. Acta 1406:5-9(1998). McNally E.M., et al.Hum. Mol. Genet. 7:871-877(1998). Ota T., et al.Nat. Genet. 36:40-45(2004). Muzny D.M., et al.Nature 440:1194-1198(2006).