

#### ARHGDIG / RHOGDI-3 Antibody (C-Terminus) Goat Polyclonal Antibody Catalog # ALS15383

## Specification

# ARHGDIG / RHOGDI-3 Antibody (C-Terminus) - Product Information

Application Primary Accession Reactivity Host Clonality Calculated MW WB, IHC <u>O99819</u> Human, Monkey, Dog Goat Polyclonal 25kDa KDa

### ARHGDIG / RHOGDI-3 Antibody (C-Terminus) - Additional Information

Gene ID 398

Other Names Rho GDP-dissociation inhibitor 3, Rho GDI 3, Rho-GDI gamma, ARHGDIG

Target/Specificity Human ARHGDIG.

**Reconstitution & Storage** Store at -20°C. Minimize freezing and thawing.

**Precautions** ARHGDIG / RHOGDI-3 Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

### ARHGDIG / RHOGDI-3 Antibody (C-Terminus) - Protein Information

#### Name ARHGDIG

#### Function

Inhibits GDP/GTP exchange reaction of RhoB. Interacts specifically with the GDP- and GTP-bound forms of post-translationally processed Rhob and Rhog proteins, both of which show a growth-regulated expression in mammalian cells. Stimulates the release of the GDP-bound but not the GTP-bound RhoB protein. Also inhibits the GDP/GTP exchange of RhoB but shows less ability to inhibit the dissociation of prebound GTP.

Cellular Location Cytoplasm.

**Tissue Location** Primarily expressed in pancreas and brain.



# **ARHGDIG / RHOGDI-3 Antibody (C-Terminus) - Protocols**


Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

#### ARHGDIG / RHOGDI-3 Antibody (C-Terminus) - Images

	250kDa 150kDa 100kDa
	75kDa
	50kDa
	37kDa
-	25kDa
	20kDa
	15kDa

ARHGDIG antibody (0.5 ug/ml) staining of HeLa lysate (35 ug protein/ml in RIPA buffer).



Anti-ARHGDIG / RHOGDI-3 antibody IHC of human brain, cortex. ARHGDIG / RHOGDI-3 Antibody (C-Terminus) - Background

ARTIGOIG / RITOGOI-S ARTIDOUS (C-TETRINIUS) - Dackground

Inhibits GDP/GTP exchange reaction of RhoB. Interacts specifically with the GDP- and GTP-bound forms of post- translationally processed Rhob and Rhog proteins, both of which show a growth-regulated expression in mammalian cells. Stimulates the release of the GDP-bound but not the GTP-bound RhoB protein. Also inhibits the GDP/GTP exchange of RhoB but shows less ability to inhibit the dissociation of prebound GTP.

## ARHGDIG / RHOGDI-3 Antibody (C-Terminus) - References



Adra C.N., et al. Proc. Natl. Acad. Sci. U.S.A. 94:4279-4284(1997). Adra C.N., et al. Genomics 53:104-109(1998). Hayashi A., et al. Submitted (NOV-2003) to the EMBL/GenBank/DDBJ databases. Puhl H.L. III, et al. Submitted (APR-2002) to the EMBL/GenBank/DDBJ databases. Daniels R.J., et al. Hum. Mol. Genet. 10:339-352(2001).