

#### ANP32B / APRIL Antibody (C-Terminus) Goat Polyclonal Antibody

Catalog # ALS15773

## Specification

# ANP32B / APRIL Antibody (C-Terminus) - Product Information

Application Primary Accession Reactivity

Host Clonality Calculated MW IHC <u>O92688</u> Human, Mouse, Rat, Pig, Horse, Bovine, Dog Goat Polyclonal 29kDa KDa

### ANP32B / APRIL Antibody (C-Terminus) - Additional Information

Gene ID 10541

**Other Names** Acidic leucine-rich nuclear phosphoprotein 32 family member B, Acidic protein rich in leucines, Putative HLA-DR-associated protein I-2, PHAPI2, Silver-stainable protein SSP29, ANP32B, APRIL, PHAPI2

**Target/Specificity** Human ANP32B / APRIL. This antibody does NOT recognize the TNF family member also known as APRIL - Gene ID number 8741.

**Reconstitution & Storage** Store at -20°C. Minimize freezing and thawing.

**Precautions** ANP32B / APRIL Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

### ANP32B / APRIL Antibody (C-Terminus) - Protein Information

Name ANP32B

Synonyms APRIL, PHAPI2

Function

Multifunctional protein that is involved in the regulation of many processes including cell proliferation, apoptosis, cell cycle progression or transcription (PubMed:<a

href="http://www.uniprot.org/citations/20015864" target="\_blank">20015864</a>, PubMed:<a href="http://www.uniprot.org/citations/18039846" target="\_blank">18039846</a>). Regulates the proliferation of neuronal stem cells, differentiation of leukemic cells and progression from G1 to S phase of the cell cycle. As negative regulator of caspase-3-dependent apoptosis, may act as an antagonist of ANP32A in regulating tissue homeostasis (PubMed:<a



href="http://www.uniprot.org/citations/20015864" target="\_blank">20015864</a>). Exhibits histone chaperone properties, able to recruit histones to certain promoters, thus regulating the transcription of specific genes (PubMed:<a href="http://www.uniprot.org/citations/20538007" target="\_blank">20538007</a>, PubMed:<a href="http://www.uniprot.org/citations/18039846" target="\_blank">18039846</a>). Also plays an essential role in the nucleocytoplasmic transport of specific mRNAs via the uncommon nuclear mRNA export receptor XPO1/CRM1 (PubMed:<a href="http://www.uniprot.org/citations/17178712" target="\_blank">17178712</a>). Participates in the regulation of adequate adaptive immune responses by acting on mRNA expression and cell proliferation (By similarity).

**Cellular Location** [Isoform 1]: Nucleus. Cytoplasm Note=Accumulates in the nuclei at the S phase.


**Tissue Location** Expressed in heart, lung, pancreas, prostate and in spleen, thymus and placenta.

### ANP32B / APRIL Antibody (C-Terminus) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- <u>Dot Blot</u>
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

ANP32B / APRIL Antibody (C-Terminus) - Images



Anti-ANP32B / APRIL antibody IHC staining of human breast. ANP32B / APRIL Antibody (C-Terminus) - Background

Multifunctional protein working as a cell cycle progression factor as well as a cell survival factor. Required for the progression from the G1 to the S phase. Anti-apoptotic protein which functions as a caspase-3 inhibitor. Has no phosphatase 2A (PP2A) inhibitor activity (By similarity). Exhibits histone chaperone properties, stimulating core histones to assemble into a nucleosome.

#### ANP32B / APRIL Antibody (C-Terminus) - References



Vaesen M.,et al.Submitted (AUG-1996) to the EMBL/GenBank/DDBJ databases. Zhu L.,et al.Submitted (DEC-1996) to the EMBL/GenBank/DDBJ databases. Mencinger M.,et al.Biochim. Biophys. Acta 1395:176-180(1998). Ota T.,et al.Nat. Genet. 36:40-45(2004). Humphray S.J.,et al.Nature 429:369-374(2004).