

ALDH1A1 / ALDH1 Antibody (clone 5A11)

Mouse Monoclonal Antibody Catalog # ALS16045

Specification

ALDH1A1 / ALDH1 Antibody (clone 5A11) - Product Information

Application IHC
Primary Accession P00352
Reactivity Human
Host Mouse
Clonality Monoclonal
Calculated MW 55kDa KDa

ALDH1A1 / ALDH1 Antibody (clone 5A11) - Additional Information

Gene ID 216

Other Names

Retinal dehydrogenase 1, RALDH 1, RalDH1, 1.2.1.36, ALDH-E1, ALHDII, Aldehyde dehydrogenase family 1 member A1, Aldehyde dehydrogenase, cytosolic, ALDH1A1, ALDC, ALDH1, PUMB1

Target/Specificity

Human ALDH1A1 / ALDH1

Reconstitution & Storage

Long term: -20°C; Short term: +4°C; Avoid freeze-thaw cycles.

Precautions

ALDH1A1 / ALDH1 Antibody (clone 5A11) is for research use only and not for use in diagnostic or therapeutic procedures.

ALDH1A1 / ALDH1 Antibody (clone 5A11) - Protein Information

Name ALDH1A1 (HGNC:402)

Function

Cytosolic dehydrogenase that catalyzes the irreversible oxidation of a wide range of aldehydes to their corresponding carboxylic acid (PubMed:19296407, PubMed:12941160, PubMed:15623782, PubMed:17175089, PubMed:26373694, PubMed:25450233, PubMed:25450233, PubMed:<a href="http://www.uniprot.org/cit



(E)-4-hydroxynon-2-enal/HNE, malonaldehyde and hexanal that form protein adducts and are highly cytotoxic. By participating for instance to the clearance of (E)-4-hydroxynon-2-enal/HNE in the lens epithelium prevents the formation of HNE-protein adducts and lens opacification (PubMed:19296407, PubMed:12941160, PubMed:15623782). Functions also downstream of fructosamine-3-kinase in the fructosamine degradation pathway by catalyzing the oxidation of 3-deoxyglucosone, the carbohydrate product of fructosamine 3-phosphate decomposition, which is itself a potent glycating agent that may react with lysine and arginine side-chains of proteins (PubMed:17175089). Has also an aminobutyraldehyde dehydrogenase activity and is probably part of an alternative pathway for the biosynthesis of GABA/4-aminobutanoate in midbrain, thereby playing a role in GABAergic synaptic transmission (By similarity).

Cellular Location

Cytoplasm, cytosol. Cell projection, axon {ECO:0000250|UniProtKB:P24549}

Tissue Location


Expressed by erythrocytes (at protein level).

ALDH1A1 / ALDH1 Antibody (clone 5A11) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cvtometv
- Cell Culture

ALDH1A1 / ALDH1 Antibody (clone 5A11) - Images



Anti-ALDH1A1 / ALDH1 antibody IHC staining of human small intestine.

ALDH1A1 / ALDH1 Antibody (clone 5A11) - Background

Binds free retinal and cellular retinol-binding protein- bound retinal. Can convert/oxidize retinaldehyde to retinoic acid (By similarity).



ALDH1A1 / ALDH1 Antibody (clone 5A11) - References

Hsu L.C.,et al.Genomics 5:857-865(1989). Zheng C.F.,et al.Alcohol. Clin. Exp. Res. 17:828-831(1993). Ramana K.V.,et al.Submitted (SEP-2003) to the EMBL/GenBank/DDBJ databases. Kalnine N.,et al.Submitted (MAY-2003) to the EMBL/GenBank/DDBJ databases. Humphray S.J.,et al.Nature 429:369-374(2004).