

NOX2 / gp91phox Antibody (aa471-510) Rabbit Polyclonal Antibody

Catalog # ALS16497

Specification

NOX2 / gp91phox Antibody (aa471-510) - Product Information

Application Primary Accession Reactivity Host Clonality Calculated MW WB, IHC <u>P04839</u> Human, Mouse, Rat Rabbit Polyclonal 65kDa KDa

NOX2 / gp91phox Antibody (aa471-510) - Additional Information

Gene ID 1536

Other Names

Cytochrome b-245 heavy chain, 1.-.-., CGD91-phox, Cytochrome b(558) subunit beta, Cytochrome b558 subunit beta, Heme-binding membrane glycoprotein gp91phox, NADPH oxidase 2, Neutrophil cytochrome b 91 kDa polypeptide, Superoxide-generating NADPH oxidase heavy chain subunit, gp91-1, gp91-phox, p22 phagocyte B-cytochrome, CYBB, NOX2

Target/Specificity Human GP91PHOX / NOX2

Reconstitution & Storage Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze-thaw cycles.

Precautions NOX2 / gp91phox Antibody (aa471-510) is for research use only and not for use in diagnostic or therapeutic procedures.

NOX2 / gp91phox Antibody (aa471-510) - Protein Information

Name CYBB (<u>HGNC:2578</u>)

Synonyms NOX2

Function

Critical component of the membrane-bound oxidase of phagocytes that generates superoxide. It is the terminal component of a respiratory chain that transfers single electrons from cytoplasmic NADPH across the plasma membrane to molecular oxygen on the exterior. Also functions as a voltage-gated proton channel that mediates the H(+) currents of resting phagocytes. It participates in the regulation of cellular pH and is blocked by zinc.

Cellular Location

Cell membrane; Multi-pass membrane protein. Note=As unassembled monomer may localize to



the endoplasmic reticulum

Tissue Location Detected in neutrophils (at protein level).


Volume 50 μl

NOX2 / gp91phox Antibody (aa471-510) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

NOX2 / gp91phox Antibody (aa471-510) - Images



Western blot of gp91-phox (I502) pAb in extracts from HT29 cells.



Human Brain, Cerebellum: Formalin-Fixed, Paraffin-Embedded (FFPE)



NOX2 / gp91phox Antibody (aa471-510) - Background

Critical component of the membrane-bound oxidase of phagocytes that generates superoxide. It is the terminal component of a respiratory chain that transfers single electrons from cytoplasmic NADPH across the plasma membrane to molecular oxygen on the exterior. Also functions as a voltage-gated proton channel that mediates the H(+) currents of resting phagocytes. It participates in the regulation of cellular pH and is blocked by zinc.