

BRMS1 Antibody (aa21-70)
Rabbit Polyclonal Antibody
Catalog # ALS16724**Specification**

BRMS1 Antibody (aa21-70) - Product Information

Application	IHC, WB
Primary Accession	O9HCU9
Other Accession	25855
Reactivity	Human, Mouse, Rat
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG
Calculated MW	28461

BRMS1 Antibody (aa21-70) - Additional Information**Gene ID** 25855**Other Names**

BRMS1, DKFZP564A063

Target/Specificity

BRMS1 Antibody detects endogenous levels of total BRMS1 protein.

Reconstitution & StoragePBS (without Mg²⁺, Ca²⁺), pH 7.4, 150 mM sodium chloride, 0.02% sodium azide, 50% glycerol.
Store at -20°C for up to one year.**Precautions**

BRMS1 Antibody (aa21-70) is for research use only and not for use in diagnostic or therapeutic procedures.

BRMS1 Antibody (aa21-70) - Protein Information**Name** BRMS1**Function**

Transcriptional repressor. Down-regulates transcription activation by NF-kappa-B by promoting the deacetylation of RELA at 'Lys-310'. Promotes HDAC1 binding to promoter regions. Down-regulates expression of anti-apoptotic genes that are controlled by NF-kappa-B. Promotes apoptosis in cells that have inadequate adherence to a substrate, a process called anoikis, and may thereby inhibit metastasis. May be a mediator of metastasis suppression in breast carcinoma.

Cellular Location

Nucleus. Cytoplasm. Note=Predominantly nuclear.

Tissue Location

Expression levels are higher in term placentas than in early placentas. Low levels of expression observed in normal pregnancies and in molar pregnancies.

Volume

50 µl


BRMS1 Antibody (aa21-70) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

BRMS1 Antibody (aa21-70) - Images

Anti-BRMS1 antibody IHC staining of human testis.



Western blot of extracts from 293 cells, using BRMS1 Antibody.

BRMS1 Antibody (aa21-70) - Background

Transcriptional repressor. Down-regulates transcription activation by NF-kappa-B by promoting the deacetylation of RELA at 'Lys-310'. Promotes HDAC1 binding to promoter regions. Down-regulates expression of anti-apoptotic genes that are controlled by NF-kappa-B. Promotes apoptosis in cells that have inadequate adherence to a substrate, a process called anoikis, and may thereby inhibit metastasis. May be a mediator of metastasis suppression in breast carcinoma.

BRMS1 Antibody (aa21-70) - References

Seraj M.J.,et al.Cancer Res. 60:2764-2769(2000).
Welch D.R.,et al.Submitted (JUN-2000) to the EMBL/GenBank/DDBJ databases.
Ebert L.,et al.Submitted (JUN-2004) to the EMBL/GenBank/DDBJ databases.
Ota T.,et al.Nat. Genet. 36:40-45(2004).
Janneau J.-L.,et al.J. Clin. Endocrinol. Metab. 87:5336-5339(2002).