

**ENHO / Adropin Antibody (C-Terminus)**  
**Rabbit Polyclonal Antibody**  
**Catalog # ALS16776****Specification**

---

**ENHO / Adropin Antibody (C-Terminus) - Product Information**

|                   |                        |
|-------------------|------------------------|
| Application       | IHC, IF, WB            |
| Primary Accession | <a href="#">Q6UWT2</a> |
| Other Accession   | <a href="#">375704</a> |
| Reactivity        | Human, Mouse, Rat      |
| Host              | Rabbit                 |
| Clonality         | Polyclonal             |
| Isotype           | IgG                    |
| Calculated MW     | 7927                   |

**ENHO / Adropin Antibody (C-Terminus) - Additional Information****Gene ID** 375704**Other Names**

ENHO, C9orf165, Energy homeostasis associated, Adropin, GAAI470, UNQ470

**Target/Specificity**

ADROPIN antibody is human, mouse and rat reactive. Despite its predicted molecular weight, ADROPIN often migrates at a higher than expected molecular weight in SDS-PAGE.

**Reconstitution & Storage**

PBS, 0.02% sodium azide. Long term: -20°C; Short term: +4°C. Avoid repeat freeze-thaw cycles.

**Precautions**

ENHO / Adropin Antibody (C-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

**ENHO / Adropin Antibody (C-Terminus) - Protein Information****Name** ENHO**Synonyms** C9orf165**Function**

Involved in the regulation of glucose homeostasis and lipid metabolism.

**Cellular Location**

Secreted.

**Tissue Location**

Expressed in liver and brain.

## ENHO / Adropin Antibody (C-Terminus) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


## ENHO / Adropin Antibody (C-Terminus) - Images




Anti-ENHO / Adropin antibody IHC staining of human skeletal muscle.



Anti-ENHO / Adropin antibody IHC staining of human adrenal.



Immunofluorescence of ADROPIN in human brain tissue with ADROPIN antibody at 20 µg/mL.



Western blot analysis of ADROPIN in human brain tissue lysate with ADROPIN antibody at 2 µg/ml...

#### **ENHO / Adropin Antibody (C-Terminus) - Background**

Involved in the regulation of glucose homeostasis and lipid metabolism.

#### **ENHO / Adropin Antibody (C-Terminus) - References**

Clark H.F., et al. Genome Res. 13:2265-2270(2003).  
Kumar K.G., et al. Cell Metab. 8:468-481(2008).