10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

COG8 Antibody (Internal)
Goat Polyclonal Antibody
Catalog # ALS16810

Specification

COG8 Antibody (Internal) - Product Information

Application	**IHC**
Primary Accession	Q96MW5
Other Accession	84342
Reactivity	**Human, Monkey**
Host	**Goat**
Clonality	**Polyclonal**
Calculated MW	**68424**

COG8 Antibody (Internal) - Additional Information

Gene ID 84342

Other Names
COG8, CDG2H, Dor1, COG complex subunit 8, Dependent on RIC1

Target/Specificity
Human COG8.

Reconstitution & Storage
Tris-buffered saline, pH 7.3, 0.5% BSA, 0.02% sodium azide. Store at -20°C. Minimize freezing and thawing.

Precautions
COG8 Antibody (Internal) is for research use only and not for use in diagnostic or therapeutic procedures.

COG8 Antibody (Internal) - Protein Information

Name COG8

Function
Required for normal Golgi function.

Cellular Location
Golgi apparatus membrane; Peripheral membrane protein


COG8 Antibody (Internal) - Protocols

Provided below are standard protocols that you may find useful for product applications.

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

COG8 Antibody (Internal) - Images



Anti-COG8 antibody IHC staining of human kidney.

COG8 Antibody (Internal) - Background

Required for normal Golgi function.

COG8 Antibody (Internal) - References

Ota T.,et al.Nat. Genet. 36:40-45(2004).
Mural R.J.,et al.Submitted (JUL-2005) to the EMBL/GenBank/DDBJ databases.
Whyte J.R.,et al.Dev. Cell 1:527-537(2001).
Kranz C.,et al.Hum. Mol. Genet. 16:731-741(2007).
Burkard T.R.,et al.BMC Syst. Biol. 5:17-17(2011).