

Glucocorticoid Receptor Beta Antibody (N-Terminus)
Rabbit Polyclonal Antibody
Catalog # ALS17191**Specification**

Glucocorticoid Receptor Beta Antibody (N-Terminus) - Product Information

Application	IHC-P, WB
Reactivity	Human
Host	Rabbit
Clonality	Polyclonal
Isotype	IgG

Glucocorticoid Receptor Beta Antibody (N-Terminus) - Additional Information**Target/Specificity**

Human GR / Glucocorticoid Receptor

Reconstitution & Storage

0.1 M Tris-glycine, pH 7.0, 10% glycerol, 0.01% Thimerosal. Keep as concentrated solution. Aliquot and store at -20°C or below. Avoid multiple freeze-thaw cycles.

Precautions

Glucocorticoid Receptor Beta Antibody (N-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.


Glucocorticoid Receptor Beta Antibody (N-Terminus) - Protein Information**Volume**


Array

Glucocorticoid Receptor Beta Antibody (N-Terminus) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)


Glucocorticoid Receptor Beta Antibody (N-Terminus) - Images



Human Placenta: Formalin-Fixed, Paraffin-Embedded (FFPE)



Sample (30 ug of whole A431 cell lysate).



Glucocorticoid Receptor beta antibody immunoprecipitates Glucocorticoid Receptor beta protein IP experiments. IP Sample:1000 ug HeLa whole cell lysate/extract A. 40 ug HeLa whole cell lysate/extract B. Control with 2.5 ug of preimmune rabbit IgG C. Immunoprecipitation of Glucocorticoid Receptor beta protein by 2.5 ug of Glucocorticoid Receptor beta antibody 7.5% SDS-PAGE The immunoprecipitated Glucocorticoid Receptor beta protein was detected by SCM11 antibody diluted at 1:1000. EasyBlot anti-rabbit IgG (anti-rabbit IgG (HRP) -01) was used as a secondary reagent.