

Anti-FZD9 / Frizzled 9 Antibody (Extracellular Domain) **Rabbit Anti Human Polyclonal Antibody** Catalog # ALS17559

Specification

Anti-FZD9 / Frizzled 9 Antibody (Extracellular Domain) - Product Information

Application **Primary Accession** Predicted Host Clonality Calculated MW

IHC-P, E 000144 Human Rabbit Polyclonal 64466

Anti-FZD9 / Frizzled 9 Antibody (Extracellular Domain) - Additional Information

Gene ID 8326

FZD9

Alias Symbol **Other Names** FZD9, CD349, Frizzled homolog 9, Fz-9, Frizzled family receptor 9, Frizzled-9, Frizzled 9, Fz9, HFz9, CD349 antigen, Frizzled homolog fzd3, FzE6

Target/Specificity Human FZD9 / Frizzled 9. BLAST analysis of the peptide immunogen showed no homology with other human proteins, except FZD10 (47%).

Reconstitution & Storage Immunoaffinity purified

Precautions Anti-FZD9 / Frizzled 9 Antibody (Extracellular Domain) is for research use only and not for use in diagnostic or therapeutic procedures.

Anti-FZD9 / Frizzled 9 Antibody (Extracellular Domain) - Protein Information

Name FZD9

Synonyms FZD3

Function

Receptor for WNT2 that is coupled to the beta-catenin canonical signaling pathway, which leads to the activation of disheveled proteins, inhibition of GSK-3 kinase, nuclear accumulation of beta-catenin and activation of Wnt target genes (By similarity). Plays a role in neuromuscular junction (NMJ) assembly by negatively regulating the clustering of acetylcholine receptors (AChR) through the beta-catenin canonical signaling pathway (By similarity). May play a role in neural progenitor cells (NPCs) viability through the beta- catenin canonical signaling pathway by negatively regulating cell cycle arrest leading to inhibition of neuron apoptotic process (PubMed:27509850).



During hippocampal development, regulates neuroblast proliferation and apoptotic cell death. Controls bone formation through non canonical Wnt signaling mediated via ISG15. Positively regulates bone regeneration through non canonical Wnt signaling (By similarity).

Cellular Location

Cell membrane {ECO:0000250|UniProtKB:Q9R216}; Multi-pass membrane protein. Note=Relocalizes DVL1 to the cell membrane leading to phosphorylation of DVL1 and AXIN1 relocalization to the cell membrane. {ECO:0000250|UniProtKB:Q8K4C8}

Tissue Location

Expressed predominantly in adult and fetal brain, testis, eye, skeletal muscle and kidney. Moderately expressed in pancreas, thyroid, adrenal cortex, small intestine and stomach Detected in fetal liver and kidney. Expressed in neural progenitor cells (PubMed:27509850).

Anti-FZD9 / Frizzled 9 Antibody (Extracellular Domain) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

Anti-FZD9 / Frizzled 9 Antibody (Extracellular Domain) - Images