

### **GSN Antibody (N-term)**

Mouse Monoclonal Antibody (Mab)
Catalog # AM1936b

# **Specification**

## **GSN Antibody (N-term) - Product Information**

Application WB,E
Primary Accession P06396

Other Accession Q3SX14, NP 000168.1

Reactivity
Predicted
Bovine
Host
Clonality
Monoclonal

Isotype IgM,k
Calculated MW 85698
Antigen Region 230-259

# GSN Antibody (N-term) - Additional Information

#### **Gene ID 2934**

#### **Other Names**

Gelsolin, AGEL, Actin-depolymerizing factor, ADF, Brevin, GSN

## Target/Specificity

This GSN antibody is generated from mice immunized with a KLH conjugated synthetic peptide between 230-259 amino acids from the N-terminal region of human GSN.

### **Dilution**

WB~~1:500~1000

#### **Format**

Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Euglobin precipitation followed by dialysis against PBS.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

## **Precautions**

GSN Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

### **GSN Antibody (N-term) - Protein Information**

### Name GSN

Function Calcium-regulated, actin-modulating protein that binds to the plus (or barbed) ends of





Tel: 858.875.1900 Fax: 858.875.1999

actin monomers or filaments, preventing monomer exchange (end-blocking or capping). It can promote the assembly of monomers into filaments (nucleation) as well as sever filaments already formed (PubMed: 19666512). Plays a role in ciliogenesis (PubMed: 20393563).

#### **Cellular Location**

[Isoform 2]: Cytoplasm, cytoskeleton.

#### **Tissue Location**


Phagocytic cells, platelets, fibroblasts, nonmuscle cells, smooth and skeletal muscle cells

# **GSN Antibody (N-term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

### GSN Antibody (N-term) - Images



Anti-GSN Antibody (N-term)at 1:1000 dilution + Ramos whole cell lysates Lysates/proteins at 20 μg per lane. Secondary Goat Anti-mouse IgM, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size: 86 kDa Blocking/Dilution buffer: 5% NFDM/TBST.





GSN Antibody (N-term) (Cat. #AM1936b) western blot analysis in MDA-MB435 cell line lysates (35µg/lane). This demonstrates the GSN antibody detected the GSN protein (arrow).

# **GSN Antibody (N-term) - Background**

The protein encoded by this gene binds to the 'plus' ends of actin monomers and filaments to prevent monomer exchange. The encoded calcium-regulated protein functions in both assembly and disassembly of actin filaments. Defects in this gene are a cause of familial amyloidosis Finnish type (FAF). Multiple transcript variants encoding several different isoforms have been found for this gene.

### **GSN Antibody (N-term) - References**

Pottiez, G., et al. Rapid Commun. Mass Spectrom. 24(17):2620-2624(2010) Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010) : Lee, P.S., et al. Blood Purif. 29(2):99-101(2010) Solomon, J.P., et al. Biochemistry 48(48):11370-11380(2009) Litwin, M., et al. Acta Biochim. Pol. 56(4):739-743(2009)