

### **CD7 Antibody (N-term)**

Mouse Monoclonal Antibody (Mab)
Catalog # AM1974B

## **Specification**

## CD7 Antibody (N-term) - Product Information

Application WB,E
Primary Accession P09564
Other Accession NP\_006128.1
Reactivity Human
Host Mouse
Clonality Monoclonal
Isotype IgM

Calculated MW 25409
Antigen Region 34-61

## CD7 Antibody (N-term) - Additional Information

#### Gene ID 924

### **Other Names**

T-cell antigen CD7, GP40, T-cell leukemia antigen, T-cell surface antigen Leu-9, TP41, CD7, CD7

### Target/Specificity

This CD7 antibody is generated from mice immunized with a KLH conjugated synthetic peptide between 34-61 amino acids from the N-terminal region of human CD7.

### **Dilution**

WB~~1:500~1000

## **Format**

Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Euglobin precipitation followed by dialysis against PBS.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

CD7 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

# CD7 Antibody (N-term) - Protein Information

# Name CD7

Function Not yet known.



**Cellular Location** 


Membrane; Single-pass type I membrane protein.

## CD7 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- <u>Immunoprecipitation</u>
- Flow Cytomety
- Cell Culture

## CD7 Antibody (N-term) - Images



CD7 Antibody (N-term) (Cat. #AM1974b) western blot analysis in K562 cell line lysates (35µg/lane). This demonstrates the CD7 antibody detected the CD7 protein (arrow).

# CD7 Antibody (N-term) - Background

This gene encodes a transmembrane protein which is a member of the immunoglobulin superfamily. This protein is found on thymocytes and mature T cells. It plays an essential role in T-cell interactions and also in T-cell/B-cell interaction during early lymphoid development.

## CD7 Antibody (N-term) - References

Rohrs, S., et al. J Hematol Oncol 3, 15 (2010):
Rogers, S.L., et al. Mol. Cancer 9, 41 (2010):
Koh, H.S., et al. Mol. Cells 28(6):553-558(2009)
Yoo, E.H., et al. Korean J Lab Med 29(6):491-496(2009)
SundarRaj, S., et al. Mol. Immunol. 46(16):3411-3419(2009)