

DCLK1 Antibody

Purified Mouse Monoclonal Antibody (Mab)
Catalog # AM8593b

Specification

DCLK1 Antibody - Product Information

Application WB,E
Primary Accession O15075
Reactivity Human, Mouse
Host Mouse
Clonality monoclonal
Isotype IgG1,k
Calculated MW 82224

DCLK1 Antibody - Additional Information

Gene ID 9201

Other Names

Serine/threonine-protein kinase DCLK1, 2.7.11.1, Doublecortin domain-containing protein 3A, Doublecortin-like and CAM kinase-like 1, Doublecortin-like kinase 1, DCLK1, DCAMKL1, DCDC3A, KIAA0369

Target/Specificity

This DCLK1 antibody is generated from a mouse immunized with a recombinant protein of human DCLK1.

Dilution

WB~~1:4000

Format

Purified monoclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein G column, followed by dialysis against PBS.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

DCLK1 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

DCLK1 Antibody - Protein Information

Name DCLK1

Synonyms DCAMKL1, DCDC3A, KIAA0369

Function Probable kinase that may be involved in a calcium-signaling pathway controlling



neuronal migration in the developing brain. May also participate in functions of the mature nervous system.

Tissue Location


In fetal tissues, highly expressed in brain, detectable in lung and liver, but not in kidney. In adult tissues, expressed ubiquitously in the brain, detectable in the heart, liver, spleen, thymus, prostate, testis, ovary, small intestine and colon. The type A isoforms seem to be expressed predominantly in fetal brain whereas type B isoforms are expressed abundantly in both fetal and adult brain.

DCLK1 Antibody - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

DCLK1 Antibody - Images




All lanes : Anti-DCLK1 Antibody at 1:4000 dilution Lane 1: human brain lysate Lane 2: mouse brain lysate Lane 3: TT whole cell lysate Lysates/proteins at 20 μ g per lane. Secondary Goat Anti-mouse IgG, (H+L), Peroxidase conjugated at 1/10000 dilution. Predicted band size : 82 kDa Blocking/Dilution buffer: 5% NFDM/TBST.

DCLK1 Antibody - Background

Probable kinase that may be involved in a calcium- signaling pathway controlling neuronal migration in the developing brain. May also participate in functions of the mature nervous system.

DCLK1 Antibody - References





Omori Y.,et al.J. Hum. Genet. 43:169-177(1998). Sossey-Alaoui K.,et al.Genomics 56:121-126(1999). Nagase T.,et al.DNA Res. 4:141-150(1997). Ota T.,et al.Nat. Genet. 36:40-45(2004). Dunham A.,et al.Nature 428:522-528(2004).