

#### **ETS1** Antibody

Mouse Monoclonal Antibody to ETS1 Catalog # AO1354b

# **Specification**

## **ETS1 Antibody - Product Information**

Application WB, IHC
Primary Accession P14921
Reactivity Human
Host Mouse
Clonality Monoclonal
Isotype Mouse IgG1
Calculated MW 50408

**Description** 

The ETS1 is a transcription factor known to regulate expression of a number of genes involved in extracellular matrix remodeling. ETS1 is absent from normal gastric epithelium but is expressed in approximately 60% of gastric carcinomas and oral squamous cell carcinomas with a significant correlation to the tumor stage.

#### **Immunogen**

Purified recombinant fragment of human ETS1 expressed in E. Coli.

## **ETS1 Antibody - Additional Information**

**Gene ID 2113** 

#### **Other Names**

Protein C-ets-1, p54, ETS1, EWSR2

#### **Target/Specificity**

Purified recombinant fragment of human ETS1 expressed in E. Coli.

# **Dilution**

WB~~1:500~~2000 IHC~~1:200~~1000

#### **Format**

Ascitic fluid containing 0.03% sodium azide.

#### **Storage**

Maintain refrigerated at 2-8°C for up to 6 months. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

# **Precautions**

ETS1 Antibody is for research use only and not for use in diagnostic or therapeutic procedures.

# **ETS1 Antibody - Protein Information**



#### Name ETS1

# Synonyms EWSR2

#### **Function**

Transcription factor (PubMed:<a href="http://www.uniprot.org/citations/10698492" target="\_blank">10698492</a>, PubMed:<a href="http://www.uniprot.org/citations/11909962" target="\_blank">11909962</a>). Directly controls the expression of cytokine and chemokine genes in a wide variety of different cellular contexts (PubMed:<a href="http://www.uniprot.org/citations/20378371" target="\_blank">20378371</a>). May control the differentiation, survival and proliferation of lymphoid cells (PubMed:<a href="http://www.uniprot.org/citations/20378371" target="\_blank">20378371</a>). May also regulate angiogenesis through regulation of expression of genes controlling endothelial cell migration and invasion (PubMed:<a href="http://www.uniprot.org/citations/15247905" target="\_blank">15247905</a>, PubMed:<a href="http://www.uniprot.org/citations/15592518" target="\_blank">15592518</a>).

#### **Cellular Location**

Nucleus. Cytoplasm Note=Delocalizes from nucleus to cytoplasm when coexpressed with isoform Ets-1 p27.

#### **Tissue Location**

Highly expressed within lymphoid cells. Isoforms c- ETS-1A and Ets-1 p27 are both detected in all fetal tissues tested, but vary with tissue type in adult tissues. None is detected in brain or kidney.

# **ETS1 Antibody - Protocols**

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

## ETS1 Antibody - Images






Figure 1: Western blot analysis using ETS1 mouse mAb against Jurkat (1), HepG2 (2) and ETS1-hlgGFc transfected HEK293 (3) cell lysate.




Figure 2: Immunohistochemical analysis of paraffin-embedded human brain tissue (A) and breast tumor (B) uing ETS1 mouse mAb.

# **ETS1 Antibody - References**

- 1. DNA Cell Biol. 2005 Feb;24(2):126-32.
- 2. Mol Hum Reprod. 2006 Feb;12(2):71-6.
- 3. J Biol Chem. 2008 Jan 11;283(2):951-62.