

## **CRCT1 Antibody (N-term)**

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP10028a

## **Specification**

## CRCT1 Antibody (N-term) - Product Information

**Application** WB, IHC-P, FC,E **Primary Accession** O9UGL9 NP 061933.1 Other Accession Reactivity Human Host **Rabbit** Clonality **Polyclonal** Isotype Rabbit IgG Calculated MW 9736

## CRCT1 Antibody (N-term) - Additional Information

#### **Gene ID 54544**

Antigen Region

### **Other Names**

Cysteine-rich C-terminal protein 1, Protein NICE-1, CRCT1, Clorf42, NICE1

### Target/Specificity

This CRCT1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1-30 amino acids from the N-terminal region of human CRCT1.

1-30

# **Dilution**

WB~~1:1000 IHC-P~~1:50~100 FC~~1:10~50

### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

CRCT1 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

# CRCT1 Antibody (N-term) - Protein Information

#### Name CRCT1




Synonyms C1orf42, NICE1

## CRCT1 Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- <u>Immunohistochemistry</u>
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

## CRCT1 Antibody (N-term) - Images




CRCT1 Antibody (N-term) (Cat. #AP10028a) western blot analysis in CEM cell line lysates (35ug/lane). This demonstrates the CRCT1 antibody detected the CRCT1 protein (arrow).



CRCT1 antibody (N-term) (Cat. #AP10028a) immunohistochemistry analysis in formalin fixed and paraffin embedded mouse heart tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the CRCT1 antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.





CRCT1 Antibody (N-term) (Cat. #AP10028a) flow cytometric analysis of CEM cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.