

### SLC10A4 Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP10250b

### **Specification**

### SLC10A4 Antibody (C-term) - Product Information

**Application** WB,E **Primary Accession 096EP9** Other Accession NP 689892.1 Human, Mouse Reactivity Host **Rabbit** Clonality **Polyclonal** Isotype Rabbit IgG Antigen Region 370-398

### SLC10A4 Antibody (C-term) - Additional Information

#### Gene ID 201780

#### **Other Names**

Sodium/bile acid cotransporter 4, Na(+)/bile acid cotransporter 4, Solute carrier family 10 member 4, SLC10A4

#### Target/Specificity

This SLC10A4 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 370-398 amino acids from the C-terminal region of human SLC10A4.

# **Dilution**

WB~~1:1000

### **Format**

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

# **Precautions**

SLC10A4 Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

## SLC10A4 Antibody (C-term) - Protein Information

### Name SLC10A4

Function Transporter for bile acids.



**Cellular Location** 

Cell membrane; Multi-pass membrane protein

#### **Tissue Location**


Highly expressed in brain and small intestine, and moderately expressed in colon, heart, prostate, and testis. Very low levels were detected in kidney, liver, ovary, placenta, spleen, and thymus.

### SLC10A4 Antibody (C-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

# SLC10A4 Antibody (C-term) - Images



SLC10A4 Antibody (C-term) (Cat. #AP10250b) western blot analysis in mouse heart tissue lysates (35ug/lane). This demonstrates the SLC10A4 antibody detected the SLC10A4 protein (arrow).

### SLC10A4 Antibody (C-term) - References

Splinter, P.L., et al. World J. Gastroenterol. 12(42):6797-6805(2006) Geyer, J., et al. Naunyn Schmiedebergs Arch. Pharmacol. 372(6):413-431(2006) SLC10A4 Antibody (C-term) - Citations

• Expression, sorting and transport studies for the orphan carrier SLC10A4 in neuronal and non-neuronal cell lines and in Xenopus laevis oocytes.