10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

VWA3B Antibody (C-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP10305b

Specification

VWA3B Antibody (C-term) - Product Information

Application	**WB, IHC-P, FC,E**
Primary Accession	Q502W6
Other Accession	NP_659429.4
Reactivity	**Human, Mouse**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit IgG**
Antigen Region	**1178-1207**

VWA3B Antibody (C-term) - Additional Information

Gene ID 200403

Other Names
von Willebrand factor A domain-containing protein 3B, VWA3B

Target/Specificity
This VWA3B antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 1178-1207 amino acids from the C-terminal region of human VWA3B.

Dilution
WB~~1:1000
IHC-P~~1:50~100
FC~~1:10~50

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
VWA3B Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

VWA3B Antibody (C-term) - Protein Information

Name VWA3B

Cellular Location


Cytoplasm.

VWA3B Antibody (C-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

VWA3B Antibody (C-term) - Images




VWA3B Antibody (C-term) (Cat. #AP10305b) western blot analysis in mouse Neuro-2a cell line lysates (35ug/lane).This demonstrates the VWA3B antibody detected the VWA3B protein (arrow).



VWA3B antibody (C-term) (Cat. #AP10305b) immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the VWA3B antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999



VWA3B Antibody (C-term) (Cat. #AP10305b) flow cytometric analysis of Neuro-2a cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

VWA3B Antibody (C-term) - References

Rose, J. Phd, et al. Mol. Med. (2010) In press :