10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

KIAA1644 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP10426a

Specification

KIAA1644 Antibody (N-term) - Product Information

Application	**WB, IHC-P,E**
Primary Accession	Q3SXP7
Other Accession	Q0VBP7, NP_001092764.1
Reactivity	**Human, Mouse**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit IgG**
Calculated MW	**22573**
Antigen Region	**18-46**

KIAA1644 Antibody (N-term) - Additional Information

Gene ID 85352

Other Names
Uncharacterized protein KIAA1644, KIAA1644

Target/Specificity
This KIAA1644 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 18-46 amino acids from the N-terminal region of human KIAA1644.

Dilution
WB~~1:1000
IHC-P~~1:50~100

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
KIAA1644 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

KIAA1644 Antibody (N-term) - Protein Information

Name SHISAL1 (HGNC:29335)

Synonyms KIAA1644


Cellular Location
Membrane; Single-pass type I membrane protein

KIAA1644 Antibody (N-term) - Protocols


Provided below are standard protocols that you may find useful for product applications.

- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

KIAA1644 Antibody (N-term) - Images



KIAA1644 Antibody (N-term) (Cat. #AP10426a) western blot analysis in mouse bladder tissue lysates (35ug/lane).This demonstrates the KIAA1644 antibody detected the KIAA1644 protein (arrow).



KIAA1644 antibody (N-term) (Cat. #AP10426a) immunohistochemistry analysis in formalin fixed and paraffin embedded human uterus tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the KIAA1644 antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

KIAA1644 Antibody (N-term) - References

Hirosawa, M., et al. DNA Res. 8(1):1-9(2001)