

### **PPM1L Antibody (C-term)**

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP11001b

### Specification

# **PPM1L Antibody (C-term) - Product Information**

Application Primary Accession Other Accession Reactivity Predicted Host Clonality Isotype Calculated MW Antigen Region WB, IHC-P,E <u>O5SGD2</u> <u>O8BHN0</u>, <u>A5PJZ2</u>, <u>NP\_640338.2</u> Human, Mouse Bovine Rabbit Polyclonal Rabbit IgG 41053 215-244

### **PPM1L Antibody (C-term) - Additional Information**

Gene ID 151742

**Other Names** Protein phosphatase 1L, Protein phosphatase 1-like, Protein phosphatase 2C isoform epsilon, PP2C-epsilon, PPM1L, PP2CE

#### Target/Specificity

This PPM1L antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 215-244 amino acids from the C-terminal region of human PPM1L.

**Dilution** WB~~1:1000 IHC-P~~1:50~100

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

#### Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

#### **Precautions**

PPM1L Antibody (C-term) is for research use only and not for use in diagnostic or therapeutic procedures.

### **PPM1L Antibody (C-term) - Protein Information**

Name PPM1L



# Synonyms PP2CE

**Function** Acts as a suppressor of the SAPK signaling pathways by associating with and dephosphorylating MAP3K7/TAK1 and MAP3K5, and by attenuating the association between MAP3K7/TAK1 and MAP2K4 or MAP2K6.

**Cellular Location** Membrane; Single-pass type I membrane protein


**Tissue Location** Ubiquitous. Highly expressed in heart, placenta, lung, liver, kidney and pancreas.

## **PPM1L Antibody (C-term) - Protocols**

Provided below are standard protocols that you may find useful for product applications.


- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

## **PPM1L Antibody (C-term) - Images**



PPM1L Antibody (C-term) (Cat. #AP11001b) western blot analysis in mouse heart tissue lysates (35ug/lane).This demonstrates the PPM1L antibody detected the PPM1L protein (arrow).





PPM1L antibody (C-term) (Cat. #AP11001b) immunohistochemistry analysis in formalin fixed and paraffin embedded human lung tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of the PPM1L antibody (C-term) for immunohistochemistry. Clinical relevance has not been evaluated.

## PPM1L Antibody (C-term) - Background

PPM1L, or PP2CE, belongs to the PP2C group of serine/threonine phosphatases, which are distinguished from other phosphatases by their structure, absolute requirement for Mg(2+) or Mn(2+), and insensitivity to okadaic acid. PP2Cs regulate stress-activated protein kinase (SAPK; see MIM 601158) signaling cascades that respond to extracellular stimuli (Jin et al., 2004 [PubMed 15560375]).

# **PPM1L Antibody (C-term) - References**

Rose, J.E., et al. Mol. Med. 16 (7-8), 247-253 (2010) : Thean, L.F., et al. Genes Chromosomes Cancer 49(2):99-106(2010) Trynka, G., et al. Gut 58(8):1078-1083(2009) Saito, S., et al. J. Biol. Chem. 283(10):6584-6593(2008) Saito, J., et al. Biochem. J. 405(3):591-596(2007)