

HARB1 Antibody (N-term)

Affinity Purified Rabbit Polyclonal Antibody (Pab) Catalog # AP11152a

Specification

HARB1 Antibody (N-term) - Product Information

Application Primary Accession Other Accession Reactivity Predicted Host Clonality Isotype Calculated MW Antigen Region WB, IHC-P,E <u>Q96MB7</u> <u>B0BN95</u>, <u>Q8BR93</u>, <u>O170R8</u>, <u>NP_776172.1</u> Mouse Bovine, Rat Rabbit Polyclonal Rabbit IgG 39146 4-33

HARB1 Antibody (N-term) - Additional Information

Gene ID 283254

Other Names Putative nuclease HARBI1, 31--, Harbinger transposase-derived nuclease, HARBI1, C11orf77

Target/Specificity

This HARB1 antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 4-33 amino acids from the N-terminal region of human HARB1.

Dilution WB~~1:1000 IHC-P~~1:50~100

Format

Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is purified through a protein A column, followed by peptide affinity purification.

Storage

Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions

HARB1 Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

HARB1 Antibody (N-term) - Protein Information

Name HARBI1



Synonyms C11orf77

Function Transposase-derived protein that may have nuclease activity (Potential). Does not have transposase activity.

Cellular Location Nucleus. Cytoplasm. Note=Interaction with NAIF1 promotes translocation to the nucleus


Tissue Location Detected in brain, eye, nerve tissue, kidney and lung.

HARB1 Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- <u>Western Blot</u>
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- <u>Cell Culture</u>

HARB1 Antibody (N-term) - Images



HARB1 Antibody (N-term) (Cat. #AP11152a) western blot analysis in mouse bladder tissue lysates (35ug/lane).This demonstrates the HARB1 antibody detected the HARB1 protein (arrow).





HARB1 Antibody (N-term) (Cat. #AP11152a)immunohistochemistry analysis in formalin fixed and paraffin embedded human brain tissue followed by peroxidase conjugation of the secondary antibody and DAB staining. This data demonstrates the use of HARB1 Antibody (N-term) for immunohistochemistry. Clinical relevance has not been evaluated.

HARB1 Antibody (N-term) - Background

The specific function of C11ORF77 remains unknown. It is potentially a transposase-derived protein that may have nuclease activity. It does not however have transposase activity. C11ORF77 is detected in brain, eye, nerve tissue, kidney and lung.

HARB1 Antibody (N-term) - References

Ferreira, R.C., et al. Nat. Genet. 42(9):777-780(2010) Sinzelle, L., et al. Proc. Natl. Acad. Sci. U.S.A. 105(12):4715-4720(2008) Oh, J.H., et al. Mamm. Genome 16(12):942-954(2005) Kapitonov, V.V., et al. DNA Cell Biol. 23(5):311-324(2004)