10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999

CCNH Antibody (N-term)
Purified Rabbit Polyclonal Antibody (Pab)
Catalog # AP11210a

Specification

CCNH Antibody (N-term) - Product Information

Application	**WB, FC,E**
Primary Accession	P51946
Other Accession	Q61458, Q4R7U4, Q3ZBL9, NP_001230
Reactivity	**Mouse**
Predicted	**Bovine, Monkey**
Host	**Rabbit**
Clonality	**Polyclonal**
Isotype	**Rabbit IgG**
Calculated MW	**37643**
Antigen Region	**24-52**

CCNH Antibody (N-term) - Additional Information

Gene ID 902

Other Names
Cyclin-H, MO15-associated protein, p34, p37, CCNH

Target/Specificity
This CCNH antibody is generated from rabbits immunized with a KLH conjugated synthetic peptide between 24-52 amino acids from the N-terminal region of human CCNH.

Dilution
WB~~1:1000
FC~~1:10~50

Format
Purified polyclonal antibody supplied in PBS with 0.09% (W/V) sodium azide. This antibody is prepared by Saturated Ammonium Sulfate (SAS) precipitation followed by dialysis against PBS.

Storage
Maintain refrigerated at 2-8°C for up to 2 weeks. For long term storage store at -20°C in small aliquots to prevent freeze-thaw cycles.

Precautions
CCNH Antibody (N-term) is for research use only and not for use in diagnostic or therapeutic procedures.

CCNH Antibody (N-term) - Protein Information

Name CCNH

Function Regulates CDK7, the catalytic subunit of the CDK-activating kinase (CAK) enzymatic complex. CAK activates the cyclin-associated kinases CDK1, CDK2, CDK4 and CDK6 by threonine phosphorylation. CAK complexed to the core-TFIIH basal transcription factor activates RNA polymerase II by serine phosphorylation of the repetitive C-terminal domain (CTD) of its large subunit (POLR2A), allowing its escape from the promoter and elongation of the transcripts. Involved in cell cycle control and in RNA transcription by RNA polymerase II. Its expression and activity are constant throughout the cell cycle.


Cellular Location
Nucleus.

CCNH Antibody (N-term) - Protocols

Provided below are standard protocols that you may find useful for product applications.


- Western Blot
- Blocking Peptides
- Dot Blot
- Immunohistochemistry
- Immunofluorescence
- Immunoprecipitation
- Flow Cytomety
- Cell Culture

CCNH Antibody (N-term) - Images



CCNH Antibody (N-term) (Cat. #AP11210a) western blot analysis in mouse kidney tissue lysates (35ug/lane).This demonstrates the CCNH antibody detected the CCNH protein (arrow).

10320 Camino Santa Fe, Suite G
San Diego, CA 92121
Tel: 858.875.1900 Fax: 858.875.1999



CCNH Antibody (N-term) (Cat. #AP11210a) flow cytometric analysis of Hela cells (right histogram) compared to a negative control cell (left histogram).FITC-conjugated goat-anti-rabbit secondary antibodies were used for the analysis.

CCNH Antibody (N-term) - Background

The protein encoded by this gene belongs to the highly conserved cyclin family, whose members are characterized by a dramatic periodicity in protein abundance through the cell cycle. Cyclins function as regulators of CDK kinases. Different cyclins exhibit distinct expression and degradation patterns which contribute to the temporal coordination of each mitotic event. This cyclin forms a complex with CDK7 kinase and ring finger protein MAT1. The kinase complex is able to phosphorylate CDK2 and CDC2 kinases, thus functions as a CDK-activating kinase (CAK). This cyclin and its kinase partner are components of TFIIH, as well as RNA polymerase II protein complexes. They participate in two different transcriptional regulation processes, suggesting an important link between basal transcription control and the cell cycle machinery. A pseudogene of this gene is found on chromosome 4. Alternate splicing results in multiple transcript variants.

CCNH Antibody (N-term) - References

Guey, L.T., et al. Eur. Urol. 57(2):283-292(2010)
Hosgood, H.D. III, et al. Respir Med 103(12):1866-1870(2009)
Young, R.P., et al. Postgrad Med J 85(1008):515-524(2009)
Kweekel, D.M., et al. Br. J. Cancer 101(2):357-362(2009)
Sugiyama, N., et al. Mol. Cell Proteomics 6(6):1103-1109(2007)